BLACHERE ILLUMINATION 2025

GENERAL *catalog*

blachere® illumination



HEAD OFFICE & WORKSHOP

Blachere Illumination S.A.S
22 Allée des Bourguignons, 84400, Apt
Tel : + 33 (0) 413 068 004
Fax : + 33 (0) 490 741 463

Mail : sales@blachere-illumination.com
Web : blachere-illumination.com

DESIGN • DESIGN DPT BLACHERE

CONTACT

Géraldine - tél : +33 (0) 490 747 323
geraldine@blachere-illumination.com
Léa - tél : +33 (0) 490 747 642
l.alves@blachere-illumination.com
Marion - tél : +33 (0) 490 747 330
marion@blachere-illumination.com
Irène - tél : +33 (0) 490 747 396
i.baravet@blachere-illumination.com
Marie - tél : +33 (0) 490 747 044
marie@blachere-illumination.com
Cathy - tél : +33 (0) 490 747 325
cathy@blachere-illumination.com

COVER • DESIGN DPT BLACHERE

PHOTOGRAPHERS

• Michel Djaoui
• Lionel Moulet
• Jérémie Pitot
• Odile Pascal
• Brice Toul
• Eric Soltan
• Camille Moirenc

PRINT • GROUPE PRENANT

ALL RIGHTS RESERVED

Not a contract document. The sizes and wattages of motifs may be subject to change for technical reasons.
Non-contractual images.

All our products are CE marked meaning that they meet electrical security norms and electromagnetic requirements.
All our motifs, designs and graphics are protected by the INPI, the OMPI and current industrial and intellectual property laws.
Reproduction of any kind, in full or part, is strictly forbidden without written authorisation of blachere illumination s.a.s.

Get inspired at **blachere-illumination.com**

PEFC 10-31-1858
IMPRIM'VERT

SUMMARY
catalogue

2024

VOLUMES & URBAN 14 – 71

SUSPENSIONS COLLECTIONS 72 – 157

GARLANDS 158 –227

DECORATIONS 228 – 253

TECHNICAL PAGES 254 – 288

- Height
- Length
- Width
- Voltage
- Weight
- Flash colour
- LED colour
- Print colour
- News
- Recycled bottles needed to create a decoration

OUR HISTORY

It all began in Apt, in the heart of Provence, in 1973.

When Jean-Paul Blachère illuminated his first village, the smiles on the inhabitants' faces were his confirmation that light has a unique magical power. He then turned this experience into a profession, a passion and know-how that he passes on with love and respect for tradition.

We have now grown, delivering our decorations in over 80 countries, supported by our 600 members of staff in France and our 27 subsidiaries worldwide. We are proud to illuminate 70% of French districts with over 5,000 inhabitants and more than 1,000 towns and cities and 500 shopping centres worldwide.

Above all, we strive to do our job with the same passion as on the very first day.

The richness of our company comes from the experience gained through discussions, listening and the creative solutions provided for our customers.

When it comes to illuminations in Sweden, the United States, France or Mexico, the expectations are often different. The adaptability and professionalism of our local teams therefore ensure that we are able to meet the needs of each city and the culture of each country.

The ultimate aim, whatever the location around the globe, is to arouse emotions with our illuminations…

• 27 SUBSIDIARIES
• 1000 TOWNS AND CITIES ILLUMINATED IN OVER 80 COUNTRIES
• 800 SHOPPING CENTRES WORLDWIDE



BLACHERE KNOW-HOW

For us, creation is key: it starts with a sketch, a drawing by hand, an idea, a dream… then our designers bring it to life in the form of light.
We are more than just manufacturers; we are passionate creatives with a single mission: to enthral the world by telling beautiful stories through fairytale designs, innovative decorations and magical luminous settings.

We are inspired by all that surrounds us, and by anything that could stir an emotion… Being creative is not mutually exclusive with professional expertise: this philosophy keeps us one step ahead and sets us apart from the crowd. Thanks to our innovations, we are able to strike the right balance between age-old know-how and industrialisation.

This is demonstrated by the fact that we are the only company in our market to have received the EPV living heritage company label.

This distinction is awarded to companies with exceptional know-how, combining tradition and innovation.

From decorative ironwork to the most painstaking wiring, more than 7,000 made-to measure decorations take shape in our workshops in France and abroad each year: the "Haute Couture" of illuminations. In parallel, standard decorations from our summer and winter "Ready-to-wear" collections are printed using eco-friendly materials thanks to our fleet of twelve large-scale 3D printers in France and elsewhere.

Although our expertise was born in France over 50 years ago, we are delivered to now have five production sites in Europe, the Middle East and America, which allow us to deliver to countries around the world via local supply chains and to contend with the economic demands of the market.

• 12 LARGE-SCALE 3D PRINTERS
• 5 PRODUCTION SITES AROUND THE WORLD
• 500 PEOPLE IN OUR FRENCH AND INTERNATIONAL WORKSHOPS



OUR LARGE-SCALE 3D PRINTERS

We will never stop innovating in order to rise to the new ecological challenges with creativity and common sense.
Each year, we do everything in our power to create or replace parts of our decorations to make them more eco-friendly and limit their impact as much as possible. Thanks to our fleet of 12 large-scale 3D printers, since 2016 we have been printing structures in eco-friendly materials, thereby replacing 80% of the aluminium in our decorations.
Whether we are working with Bioprint, Recyprint or our brand-new Flexiprint, the operating procedure is the same: the granules of these three materials are tinted with clean dyes and then injected into our 3D printers to produce coloured structures.

Our manufacturing processes are patented.

This innovation has enabled the creation of a workshop dedicated to 3D printing, along with a dozen jobs, most of which are new professions within our group.



BIOPRINT

Bioprint is a bio-based material derived from GM-free sugar cane turned into dehydrated bioethanol under the supervision of a French laboratory. Our Bioprint decorations are reused or recycled at the end of their life, and remain biodegradable if they are thrown away. Biodegradation is the breakdown of organic materials by microorganisms, without causing damage to the natural environment.

- **BIOBASED, MADE FROM SUGAR CANE**
- **100% BIODEGRADABLE AND RECYCLABLE**



RECYPRINT

600 billion bottles are produced each year, and many of them end up in the oceans. At Blachere, we have decided to turn this waste into magical decorations. The plastic bottles collected are recovered by specialist bodies, which recycle them.
This post-consumer recycled plastic from the food industry is then injected into our printers in the form of granules. Over four million bottles have already been turned into decorations to date.


- **MADE FROM PLASTIC BOTTLES**
- **100% RECYCLABLE**



FLEXIPRINT


Following on from Bioprint and Recyprint, this year we have created Flexiprint with the same aim of reducing our products' impact and adopting a sustainable and ecofriendly approach.
After months of tests, we are now offering a unique material made from recycled plastic that is supple enough to cover our three-dimensional decorations, like textile or mesh. This new material therefore now adorns our figures or Christmas trees, supplementing our ranges of sustainable and eco-friendly products.

- **MADE FROM RECYCLED PLASTIC**
- **100% RECYCLABLE**





Antwerpen, Belgium



The Shard, London, United Kingdom

OUR SCHEMES



Victoria Leeds, United Kingdom


Ikuna Resort, Natternbach, Austria


Malines/Mechelen, Belgium


The Shops at Columbus Circle, New-York, USA

OUR SCHEMES


Amsterdam, The Netherlands


La Perla, Mexico

OUR ECO-FRIENDLY MATERIALS

Innovation has always been in our DNA. As our company was born in 1973 at the heart of the oil crisis, we have been continually developing the construction of our decorations since our company was founded to make them more eco-friendly and limit their impact as much as possible.

Every year, more than 35,000 decorations are restored and reconditioned to be hired out or resold once more. We also put in place measures to encourage a clean end of life for all our products.



RECYCLED ALUMINIUM

The frameworks and support structures of our decorations are made of aluminium, composed of 70% recycled material.

ECO-FRIENDLY MATERIALS

BIO PRINT · RECY PRINT · flexi PRINT

OUR COLOURS AVAILABLE

LOW-CONSUMPTION LEDS

Our decorations and all the products in the fairy lights and spotlights section are equipped with ultra-low consumption LEDs that consume ten times less energy than traditional lighting.

SOLAR POWER ALTERNATIVE

To respond to your ecological concerns with creativity and common sense, certain decorations are available with solar panels, making them totally selfsufficient.

CONTROLLING YOUR DECORATIONS

Smart energy management is an integral part of a global eco-friendly urban policy. To be able to control your illuminations as best as possible, we offer you a range of boxes as well as complete control systems, which can be found in the accessories section at the end of the catalogue.

CLEAN END OF LIFE FOR DECORATIONS

At Blachere, we ensure:
- The repair, reuse, collection and processing of waste electrical and electronic equipment.
- Bioprint, Recyprint and Flexiprint are recyclable and repurposed.

ecosystem récylum

SUSTAINABILITY AND RECONDITIONED DECORATIONS

At Blachere, it is essential to look after things and take a long-term approach. We don't throw away, we repair!

We give our decorations a new lease of life – sometimes more than once – and offer our clients a broad range of fully serviced and reconditioned decorations: an ecoaware and responsible mode of consumption with decorations that remain of high quality and attractively priced.

Our servicing process stretches from January to June. 50 to 60 people are enlisted in our workshops to repair 35,000 decorations per year, whether they are lamppost decorations, figures or fairy lights.
The decorations are carefully tested and repaired one by one, by hand, according to extremely exacting repair and servicing criteria.
The most sensitive products are then stored on racks in our covered warehouses, and the others in our outdoor area. Just under three hectares in total is dedicated to storing these decorations.
Our sales team remains at your disposal to present our full range of reconditioned decorations.
Long live Blachere Illumination decorations!

- **35,000 DECORATIONS SERVICED EACH YEAR**
- **EXTREMELY EXACTING SERVICING AND REPAIR CRITERIA**
- **A FULL RANGE OF RECONDITIONED DECORATIONS**



OUR COMMITMENTS TO CSR, LABELS & QUALITY

We keep our communication short but truthful.
Our CSR approach is in keeping with our attitude for the past 50 years.
Everything that we create to light up the world absolutely must respect our planet and care for humanity.

We are keen to create a working environment that allows every employee to flourish.
We like to develop, train and support our staff, to make them want to stay, while offering them the chance to advance and learn. For us, gender equality and equal opportunity are the keys to success, and we are proud to employ almost as many women as men in our teams.

Social and professional integration offers multiple opportunities for people with disabilities or the long-term unemployed.

Boasting ISO 9001 certification experience for 12 years, we have now decided to develop our own quality criteria, tailored to our market and specific to the constraints of our unique profession.

The goal to be achieved is key, but how we achieve it is even more so! Come and visit us and you'll see!

Living Heritage Company (EPV) is an official French label delivered under the authority of the Ministry of the Economy and Finance, to designate French companies with artisanal and industrial expertise deemed exceptional.

Launched in 2000, the United Nations Global Compact is the largest global initiative in terms of social responsibility.
We signed up to the compact in 2023, and incorporate the principles regarding human rights, international labour standards, environmental protection and fighting all forms of corruption into our strategy.

The French Touch is an inspiring and inspired movement created to support the economic growth of cultural and creative industries.
The French Touch brings together companies in the sector to form a network of motivated and determined entrepreneurs united around four core values: creativity, excellence, boldness, and authenticity.

Launched in 2017, La French Fab flies the flag for French industry in motion. La French Fab represents companies, economic players, institutions and industrial sites located in France who want to develop French industry.

The Le Coq Vert community is THE community of companies committed to the energy and ecological transition. This logo demonstrates our commitment to putting climate concerns at the heart of our strategy.

This label showcases companies involved in the circular economy. It is awarded to manufacturers that introduce recycled plastic materials into their production.

THE BLACHERE FOUNDATION

The fruit of a passion for contemporary art and the African continent, our corporate foundation was established by Jean-Paul Blachère in 2004.

It supports contemporary art from Africa and the promotion of artists from the African continent.

In its 400m² arts centre at the heart of the Luberon region, it presents exhibitions and welcomes artists in residence in France and Africa. It takes part in major African biennales, notably the Dakar Biennale.

Since its creation, over 500 male and female, unknown or renowned artists have stepped through the door opened by the Foundation into the vast world of contemporary art.

fondation
Blachère

COMMON SENSE AND KINDNESS ARE AT THE HEART OF OUR BEHAVIOUR IN THE BLACHERE GROUP





VOLUMES & URBAN

GENERAL CATALOGUE



N **GX356L**- ICE
1.8m 1.5m 1.0m 51kg 32W
FLASH

N **GX346L**- TIPI CRISTAL
2.3m 1.2m 1.2m 30kg 65W
FLASH

N **SL053W**- KADO
1.5m 0.8m 0.8m 15kg 12W

N **GX354LW**- LUX
3.7m 1.6m 3.6m 155kg 210W
SOFT XLED

N **SL051W**- FONTAIN CRISTAL
2.8m 4.0m 4.0m 56kg 182W
SOFT XLED

N **GX348L**- SANTA CRISTAL
2.9m 1.9m 1.4m 70kg 40W
FLASH



N **GX347L-** WIZZ CRISTAL
1.2m 1.2m 2.3m 69.5kg 90W
FLASH

N **GX349L-** FROST
1.5m 2.6m 1.1m 46kg 40W
FLASH

N **GX344L-** SCALA
5.0m 3.0m 3.0m 155kg 150W
FLASH

N **SL052W-** DEMI ARCHE CRISTAL
2.5m 1.0m 1.0m 25kg 52W
FLASH 49

N **GX357L-** CHRIS
2.3m 1.5m 1.0m 44kg 44W
FLASH

N **GX345L-** CRISTAL
3.1m 2.1m 1.2m 50kg 70W
FLASH





N **SL053W**-KADO
1.5m 0.8m 0.8m 15kg 12W

N **GX333L**-HAPPY SANTA
2.6m 2.5m 1.5m 96kg 64W
FLASH 5

GX087L-LITTLE TEDDY CHIC
2.0m 2.0m 1.5m 54kg 46W
FLASH

GX265LW-LOLLIPOP
2.0m 1.3m 1.3m 31.5kg 50W
FLASH

GX163L-ELIOTT
2.8m 2.0m 1.3m 32kg 20W
FLASH





GX308L- LETTERBOX

2.0m | 0.9m | 0.9m | 43.5kg | 172W

STARSFLASH

SV504A- DAVE A

3.1m | 1.6m | 1.6m | 44.5kg | 35W

FLASH

GX148L- MAX

2.2m | 1.8m | 1.4m | 28.5kg | 33W

FLASH

GX153L- CANDY SELFIE

2.0m | 1.9m | 1.0m | 59kg | 39W

STARS&FLASH

GX132L- MISTER XMAS

3.6m | 2.6m | 1.9m | 97kg | 74W

5

SL038W- KDO

1.3m | 0.9m | 0.9m | 17.5kg | 20W

25

SL038B- KDO

1.3m | 0.9m | 0.9m | 17.5kg | 20W

25

SL038R- KDO

1.3m | 0.9m | 0.9m | 17.5kg | 20W

25





GX261LW-TRADI BOX

1.9m | 1.2m | 0.7m | 32.5kg | 60W

FLASH&STARS | 9

GX092L-CUTE RENNOO

2.2m | 1.2m | 0.7m | 99kg | 18W

FLASH

GX093L-RENNOO

2.0m | 1.2m | 0.6m | 52kg | 18W

FLASH

GX260LW-ELY

1.6m | 1.2m | 1.0m | 7.1kg | 20W

STARS | 41

GX260LW-ELY

1.6m | 1.2m | 1.0m | 7.1kg | 20W

STARS | 41

SOCL43-ASTRAL BOOTH

2.2m | 2.0m | 0.8m | 20.4kg | 25W

118

SL038W-KDO

1.3m | 0.9m | 0.9m | 17.5kg | 20W

25





2 in 1 products!

You can choose from a warm white or pure white. By reversing the connectors, you can obtain either a pure white decor/ pure white flash or a warm white decor/warm white flash.

GX151L- ROY

2.0m | 1.0m | 1.0m | 27kg | 17W

FLASH

SOCL47- TRADI PHOTOBOOTH

2.5m | 1.8m | 0.8m | 21.5kg | 15W

FLASH

GX152L- ED

2.0m | 1.5m | 0.9m | 27.5kg | 12W

FLASH

GX194L- WIZZ

1.2m | 2.3m | 1.2m | 82kg | 79W

XLEDSTARSFLASH | 277

GX118DC- DUO COMETE

2.6m | 2.2m | 1.2m | 27.4kg | 35W

FLASH



GX263L- THEODOR

2.5m | 0.9m | 1.1m | 25.5kg | 20W

FLASH | 3

GX358L- ALEX

3.7m | 2.4m | 1.9m | 72kg | 91W

FLASH&STARS

GX267LW- CIRCUS

3.0m | 1.8m | 1.8m | 81kg | 160W

FLASH | 32

TO ORDER

GX102LW- XMAS TRAIN

1.9m | 3.6m | 1.0m | 130kg | 124W

FLASH&XLED | 33

TO ORDER

GX247L-A- BOX

2.2m | 1.7m | 0.9m | 81.5kg | 150W

STARS&XLED | 586

GX264LW- BIGS

1.6m | 1.9m | 0.8m | 67.5kg | 75W

FLASH | 519

GX193L- FLASH

1.3m | 2.4m | 1.0m | 42.5kg | 45W

FLASH&XLED&STARS

GX244L- LOLITA

2.3m | 2.1m | 1.6m | 53kg | 35W





GX262LW- YUMMY
1.6m | 1.5m | 0.3m | 17kg | 35W
FLASH | 192

GX159L- DOUDOU
2.1m | 1.9m | 1.2m | 39.5kg | 28W
FLASH

GX248LR- SUGAR
2.0m | 0.8m | 0.8m | 27.5kg | 5W
FLASH

GX105L- TOMMY
2.7m | 2.5m | 2.2m | 91kg | 50W
FLASH

GX164L- WIZZ SANTA
2.3m | 3.8m | 1.2m | 66kg | 25W
FLASH

GX119L- ROMY
4.5m | 5.0m | 2.45 | 81.0kg | 29W

GX118L- COMETE
2.6m | 2.2m | 1.2 | 27.4kg | 14W

GX249L- RAYMOND
2.2m | 1.5m | 0.8m | 37kg | 20W

GX249L-A- RAYMOND
2.2m | 1.5m | 0.8m | 44kg | 20W
With push button



GX086L- TEDDY CHIC

4.0m | 4.0m | 2.8m | 157kg | 208W

FLASH

TO ORDER

GX086L-A- TEDDY CHIC

4.0m | 4.0m | 2.8m | 172kg | 248W

INTERACTIVITE&FLASH

TO ORDER

With presence detector

SL135W- ASTRAL ARCH

3.8m | 4.9m | 1.0m | 88kg | 80W

FLASH & XLED 25

GX133L- MISTER SANTA

2.8m | 1.8m | 1.4m | 125kg | 46W

FLASH 5

GX097L- PETER

2.0m | 1.3m | 0.6m | 60kg | 20W

5

SL045V- VERDE

3.0m | 2.3m | 2.3m | 45.5kg | 180W

XLED 299

GX098L- JOHN

2.3m | 1.5m | 0.9m | 56kg | 30W

5



GX262LW-YUMMY
1.6m | 1.3m | 0.3m | 17kg | 35W
FLASH 192

GX256LW-ANGEL
1.8m | 1.6m | 0.3m | 21kg | 55W
FLASH 22

GX257LW-CLEM
1.5m | 1.2m | 0.3m | 12.5kg | 30W
FLASH 191

GX172LW-JOSÉ
2.2m | 1.2m | 0.3m | 15kg | 40W
FLASH 57

GX259LW-CLEO
1.5m | 1.5m | 0.3m | 21kg | 50W
FLASH 184

GX245LW-MANALA
1.9m | 1.5m | 0.3m | 19.5kg | 45W
FLASH 258

GX258LW-KRYS
1.2m | 1.3m | 0.3m | 17kg | 55W
FLASH 172

GX258L-KRYS
1.2m | 1.3m | 0.3m | 17kg | 55W
FLASH 172

GX350LW-SCENETTE JOSÉ
2.0m | 2.4m | 0.5m | 36kg | 85W
XLED 257





GX047L- SKATE BEAR

2.1m | 2.0m | 1.1m | 44kg | 30W

GX182L- TEDDY SKI

4.0m | 3.4m | 2.6m | 148kg | 140W

XLED 41

GX182L-A- TEDDY SKI ANIME

4.0m | 3.4m | 2.6m | 160kg | 180W

interactivitéXLED 41

With presence detector

TO ORDER

GX160L- PINGU

2.1m | 1.9m | 1.2m | 31kg | 20W

FLASH 15

SOCL42- BLIZZARD PHOTOBOOTH

2.2m | 1.6m | 0.8m | 18.5kg | 25W

142

GX206L- BABY BEAR

1.5m | 1.4m | 1.5m | 60.4kg | 40W

GX145L- NOAH

3.0m | 2.3m | 1.8m | 76kg | 54W

FLASH&XLED 21

GX145L-A- NOAH ANIME

3.0m | 2.3m | 1.8m | 100kg | 54W

INTERACTIVITE&FLASH&XLED 21

+ buzzer

TO ORDER

GX205L- DADDY BEAR

1.5m | 2.2m | 0.7m | 27kg | 22W

GX149L- FROZEN LETTERBOX

2.0m | 1.1m | 1.1m | 36kg | 49W

STARS&FLASH 432

GX079L- ICE IGLOO

1.5m | 2.2m | 2.0m | 55kg | 64W

FLASH 134

GX147L- FOX

2.2m | 1.8m | 1.4m | 37kg | 20W

FLASH

GX184LW

3.5m



GX184L

3.5m



GX252L

4.6m



GX252LW

4.6m



SL135W

3.8m



SL136

3.8m



SL136W

3.8m



GX184LW- GOLD ARCH

3.5m | 5.8m | 1.0m | 115kg | 100W

FLASH & FL900E&COMETEe | 337

TO ORDER

SL135W- ASTRAL ARCH

3.8m | 4.9m | 1.0m | 88kg | 80W

FLASH & XLED | 25

TO ORDER

GX184L- BLIZZARD ARCH

3.5m | 5.8m | 1.0m | 115kg | 100W

FLASH & FL900E&COMETEe | 337

TO ORDER

GX252L- TRADI ARC

4.6m | 5.9m | 1.0m | 182kg | 568W

STARS&FLASH

TO ORDER

SL136- QUADRILLE ARCH

3.8m | 4.9m | 1.0m | 81.5kg | 60W

XLED & FL900E&FLASH | 25

TO ORDER

GX252LW- TRADI ARC

4.6m | 5.9m | 1.0m | 182kg | 568W

FLASH&STARS

TO ORDER

SL136W- QUADRILLE ARCH

3.8m | 4.9m | 1.0m | 81.5kg | 60W

XLED&STARS&FLASH | 25

TO ORDER

SL050R



GX155LW



GX154LW



GX070LR



SL050R-LOVE ARCH

5.0m | 1.0m | 1.5m | 219kg | 150W

832

TO ORDER

GX155LW-ELIE

4.2m | 4.0m | 4.0m | 386kg | 382W

STARS&FLASH | 441

GX154LW-LUMI

4.0m | 2.0m | 1.8m | 171kg | 135W

FLASH | 1367

GX070LR-TITAN

3.9m | 3.6m | 3.3m | 235kg | 260W

FLASH | 1927

TO ORDER


GX070CL



SL019CL



GX171RGBW



GX070CL- CHERRY BOX

3.9m | 3.6m | 3.5m | 235kg | 175W

FLASH&RGBWW | 1927

TO ORDER

SL019CL- CHERRY BALL

2.8m | 3.0m | 2.2m | 143kg | 58W

RGBWW

TO ORDER

GX171RGBW- FUTURA

2.5m | 6.0m | 4.4m | 257.6kg | 600W

RGBWW

TO ORDER



SL051W-FONTAIN CRISTAL

2.8m | 4.0m | 4.0m | 56kg | 182W

SOFT XLED | 257

SL035W- TATIANA

2.0m | 2.1m | 0.6m | 22.5kg | 60W

COMETEFLASH

SL040-BLIZZARD FONTAIN

2.0m | 4.0m | 4.0m | 55kg | 140W


COMETEFLASH | 122

SL044W-ASTRAL FONTAIN

2.0m | 4.0m | 4.0m | 82kg | 120W

FLASH&COMETEe | 122

SL036



SL036W



SL037W



SL052W



SL036-DEMI ARCHE FEU D'ARTIFICE

2.9m | 1.0m | 0.9m | 32kg | 21W

FLASH 70

SL036W-DEMI ARCHE FEU D'ARTIFICE

2.9m | 1.0m | 0.9m | 32kg | 21W

FLASH 70

SL037W-DEMI ARCHE COMETE

2.9m | 1.1m | 1.0m | 24kg | 20W

FLASH 106

SL052W-DEMI ARCHE CRISTAL

2.5m | 1.0m | 1.0m | 23kg | 52W

FLASH 24

GX156LW



GX168LW



GX210LW



GX327LW



GX327L



SL033



SL033W



SL032



SL032W



SL013



SL013W



SL012



SL012W



GX156LW-SELFIE TREE

2.5m | 2.2m | 0.9m | 53.5kg | 15W

FLASH | 83

GX168LW-SELFIE LOVE

1.9m | 2.0m | 0.9m | 36.5kg | 20W

139

TO ORDER

GX210LW-STARLIGHT

0.9m | 2.4m | 0.9m | 34kg | 30W

FLASH

GX327LW-BOULE XMAS

1.1m | 1.0m | 1.0m | 6.6kg | 25W

FLASH

GX327L-BOULE XMAS

1.1m | 1.0m | 1.0m | 6.6kg | 25W

FLASH

SL033-SYLVESTRE GM

2.1m | 2.5m | 8.8kg | 45W

FLASH

SL033W-SYLVESTRE GM

2.1m | 2.5m | 8.8kg | 45W

FLASH

SL032-SYLVESTRE PM

1.4m | 1.7m | 7.5kg | 40W

FLASH

SL032W-SYLVESTRE PM

1.4m | 1.7m | 7.5kg | 40W

FLASH

SL013-PROXIMA GM

2.0m | 1.5m | 6kg | 45W

FLASH

SL013W-PROXIMA GM

2.0m | 1.5m | 6kg | 45W

FLASH

SL012-PROXIMA PM

1.3m | 2.5m | 6.4kg | 25W

FLASH

SL012W-PROXIMA PM

1.3m | 2.5m | 6.4kg | 25W

FLASH



GX173LW- MAGIC

5.2m | 5.0m | 5.0m | 175kg | 290W

XLED&FLASH

TO ORDER

GX173L- MAGIC

5.2m | 5.0m | 5.0m | 175kg | 290W

XLED&FLASH

SL005W- BJORK TREE BLANC CHAUD

5.0m | 3.3m | 3.3m | 205kg | 100W

FLASH

SL005- BJORK TREE

5.0m | 3.3m | 3.3m | 205kg | 100W

FLASH

SL039W- BJORK PM

5.0m | 1.7m | 0.4m | 40kg | 20W

FLASH

GX185LW- LINA

3.5m | 3.9m | 3.9m | 60kg | 140W

XLED

GX354L




GX354LW



2 in 1 products!

You can choose from a warm white or pure white.
By reversing the connectors, you can obtain either a pure white decor/ pure white flash or a warm white decor/warm white flash.

GX266DC



GX355LW



GX354L- LUX

3.7m | 3.6m | 3.6m | 155kg | 210W

SOFT XLED

GX354LW- LUX

3.7m | 3.6m | 3.6m | 155kg | 210W

SOFT XLED

GX266DC- MINI MAGIC

2.5m | 1.6m | 1.6m | 28.5kg | 90W


FLASH

GX355LW- GRACE TREE

2.4m | 2.0m | 2.0m | 38kg | 74W

SOFT XLED 19

SL048



SL049W



SL045V



GX344L



GX344LW



SL048-EMY

5.0m | 3.0m | 1.5m | 74.5kg | 150W

FLASH&STARS | 523

TO ORDER

SL049W-JUDY

5.0m | 3.0m | 1.5m | 70kg | 75W

FLASH&STARS | 523

TO ORDER

SL045V-VERDE

3.0m | 2.3m | 2.3m | 45.5kg | 180W

XLED | 299

GX344L-SCALA

5.0m | 3.0m | 3.0m | 155kg | 150W

FLASH

GX344LW-SCALA

5.0m | 3.0m | 3.0m | 155kg | 150W

FLASH



SLED010W- MARINA

7.5m | 3.4m | 3.4m | 152kg | 265W

FLASH

TO ORDER

SND017- GRAND VEGA FROZEN

6.3m | 2.2m | 2.2m | 170kg | 275W

STARSFLASH 286

SV502W- CELESTE


6.0m | 1.9m | 1.9m | 97kg | 185W

FLASH 598

TO ORDER







SV302W- PETITE CELESTE

3.5m | 1.2m | 1.2m | 34kg | 70W

FLASH&STARS 419

SV303W- QUADRI TREE

3.0m | 1.2m | 1.2m | 30kg | 55W

FLASH&STARS 199

SV303- QUADRI TREE

3.0m | 1.2m | 1.2m | 30kg | 55W

FLASH&STARS 199

SV502- CELESTE

6.0m | 1.9m | 1.9m | 97kg | 185W

FLASH 598

TO ORDER

SV302- PETITE CELESTE

3.5m | 1.2m | 1.2m | 34kg | 70W

FLASH&STARS 419

GX253LW

5.0m

GX251L

5.0m

GX251LW

5.0m

GX253LW- TOM

5.0m | 2.5m | 2.5m | 282kg | 120W

FLASH | 273

TO ORDER

GX251L- BUBBLE

5.0m | 2.5m | 2.5m | 245kg | 135W

FLASH

TO ORDER

GX251LW- BUBBLE

5.0m | 2.5m | 2.5m | 245kg | 135W

FLASH

TO ORDER





SND022



SND019



SV507W



Description	Height	ø	P(W)	Nb of light points	Weight	Parts number	○	○
Conical fir tree 3m	3,00 m	1,18 m	24 W	612 + 156 flashs	49 kg	3	SV301	SV301W
Conical fir tree 5m	5,00 m	1,80 m	64 W	1028 + 364 flashs	241 kg	7	SV501	SV501W
Conical fir tree 10m	10,00 m	3,43 m	252 W	6528 + 1664 flashs	985 kg	23	SV1001	SV1001W
Conical "crossing" fir tree 2m	8,00 m	2,78 m	200 W	4284 + 1092 flashs	585 kg	17	SV801-P	SV801W-P
Conical "crossing" fir tree 12m	12,00 m	4,08 m	420 W	10149 + 2587 flashs	1174 kg	39	SV1201-P	SV1201W-P

TO ORDER

SND022- ROMANTIC

8.0m | 2.7m | 2.7m | 315kg | 300W

STARS& &COMETEFLASH

TO ORDER

SND019- GRAND VEGA GREEN

6.3m | 2.2m | 2.2m | 170kg | 275W

STARS&XLED 286

SV507W- ALPS TREE

5.4m | 1.9m | 1.9m | 129kg | 197W

STARS&XLED 356



SV505CL- CHERRY TREE

5.8m | 1.9m | 1.9m | 116kg | 90W

RGBWW & FLASH

TO ORDER

SV506RGBW- FULL-COLOUR TREE

5.7m | 1.9m | 1.9m | 150kg | 200W

RGBWW

TO ORDER

SND021- TEDDY

5.5m | 2.5m | 2.5m | 172kg | 325W

FLASH

TO ORDER

SV504A- DAVE A

3.1m | 1.6m | 1.6m | 44.5kg | 35W

FLASH

SL041W- NORDIKA 3D - ECO

3.0m | 2.4m | 2.4m | 72kg | 125W

SLOWGLOW | 214

SND018- VEGA GREEN

2.7m | 0.9m | 0.9m | 25.5kg | 30W

FLASH | 46

TO ORDER

GP158WF- SAPIN VERT PRE ILLUMINE - H2,10M

2.1m | 1.4m | 1.4m | 18kg | 25W

(306) FLASH (78)

NORDIKA,
AS REALISTIC AS A NATURAL ONE

Who doesn't love a fabulous Christmas tree?

And yet, it takes between 30 and 40 years for a natural conifer to reach 12m in height. As we want to avoid deforestation halting the felling of these majestic trees, we invented NORDIKA.

Pre-illuminated with a slowglow effect, easy to assemble and store, they are perfect replicas of their natural version, both in their design and incredibly realistic appearance - as true to life as it gets.

Our environmental approach is based on a simple principle: to save at least as much carbon as we generate. We do this by only using biocompatible materials, which we recycle at the end of their lifespan.





OPTIONAL
TREETOP



HYPER REALISTIC
CHRISTMAS TREE BRANCHES



WOOD-EFFECT TRUNK



WOOD EFFECT
STAND AVAILABLE








NORDIKA,
THE CHRISTMAS TRADITION

The perfect regularity of the branches, the realistic high-quality finishes and a majestic size make our conifers a festive must. You can customise your Nordika every year for a unique look: hang Christmas baubles on its branches, add a set of lights, or even set it on a wooden base.







FREE STANDING NO NEED TO SECURE WITH WIRES

The Nordika is built on a robust internal framework that ensures its stability without the need for external cables or wires for balance.

TOTALLY SAFE 24V

100% secure thanks to its 24V voltage across the entire tree.

INDOOR & OUTDOOR USE

Thanks to its weather-resistant structure and durable materials, it withstands outdoor conditions perfectly while remaining elegant and safe indoors.

PVC FREE

The recyclable polyethylene branches provide a natural appearance and an eco-friendly approach. This innovative material perfectly mimics the look of real branches while being durable and environmentally friendly.

PRE-LIGHTED WITH 100% LED SLOWGLOW EFFECT

No need to install string lights anymore: the tree comes pre-decorated and ready to shine.

CAN BE TOTALLY DISMANTLED

Transport and storage are also made easier.

TO ORDER

Ref	Name	Height	ø	P(W)	Weight	No of elements	Colour of Led	No of Led
GX081LW-2	sapin Nordika - PM	5,00 m	3,56 m	245 W	263 kg	46	☼	2976 (1488 steady + 1488 with slowglow effect)
GX082LW	sapin Nordika - MM	8,00 m	4,70 m	770 W	1 112 kg	107	☼	8664 (4332 steady + 4332 with slowglow effect)
GX083LW	sapin Nordika - GM	12,00 m	5,90 m	1870 W	2 750 kg	194	☼	21048 (10524 steady + 10524 with slowglow effect)

NORDIKA, ACCESSORIES



DECORATIVE BAUBLES KIT

Each kit features 52 baubles in the same colour (M1/B1 category-fireproof)-50% shiny /50% satiny
- 28 baubles ø 12cm
- 20 baubles ø 20cm
- 4 baubles ø 25cm

SILVER : KITNDK-A
BLUE : KITNDK-B
GOLD : KITNDK-O
RED : KITNDK-R

NORDIKA - 5 M = *2 kits - 104 baubles*
NORDIKA - 8 M = *4 kits - 208 baubles*
NORDIKA - 12 M = *8 kits - 416 baubles*

BIOPRINT & RECYPRINT KIT

Each kit features 20 motives
- 8 motives ø 50cm
- 12 motives ø 30cm

BLUE/WHITE - SNOWFLAKE : KITNDK-F
GOLD/WHITE - STAR : KITNDK-E

NORDIKA - 5 M = *2 kits - 40 decorations*
NORDIKA - 8 M = *4 kits - 80 decorations*
NORDIKA - 12 M = *8 kits - 160 decorations*

TREE TOPPER

These carefully designed toppers allow you to customize the top of your tree, giving it a unique and magical finish.

CIMIER STAR7 - 0,80M : CIME7
CIMIER BELLA - 1,00M : CIME2
CIMIER MIA - 1,00M : CIME6
CIMIER AIGUILLE - 1,00M : CIME4



BASE

Stabilize and enhance your Nordika tree with our specially designed bases!

NORDIKA 5M (GX081LW-2) : SOCLGX81
NORDIKA 8M (GX082LW) : SOCLGX82
NORDIKA 12M (GX083LW) : SOCLGX83





SUSPENSIONS COLLECTIONS

GENERAL CATALOGUE

ARTY

The ARTY collection is inspired by the refinement and purity of the Art Deco artistic movement. We have elegantly mixed the geometric lines of this timeless artistic style with the traditional symbols of Christmas.
Flashes, diamond shapes and streamlined curves are accented with light,enabling us to create an extremely elegant and dynamic decoration that is equally beautiful day and night in your streets.


ART DECO
REFINEMENT
GEOMETRIC SHAPES
ELEGANCE
FLASH OF LIGHT
DROP BEADS




















IPL337W-GATSBY BANNER

2.8m | 0.8m | 8kg | 50W | SLOWFLASH & SOFT XLED | 52

IPL337-GATSBY BANNER

2.8m | 0.8m | 8kg | 50W | SLOWFLASH & SOFT XLED | 52

IPL336W-GATSBY GRAND

2.0m | 0.9m | 8kg | 49W | SLOWFLASH & SOFT XLED | 79

IPL336-GATSBY GRAND

2.0m | 0.9m | 8kg | 49W | SLOWFLASH & SOFT XLED | 79

IPL335W-GATSBY

1.5m | 0.6m | 5kg | 34W | SLOWFLASH & SOFT XLED | 37

IPL335-GATSBY

1.5m | 0.6m | 5kg | 34W | SLOWFLASH & SOFT XLED | 37

ITL338W-GATSBY UNIT

1.0m | 0.8m | 4kg | 30W | SLOWFLASH & SOFT XLED | 29

ITL338-GATSBY UNIT

1.0m | 0.8m | 4kg | 30W | SLOWFLASH & SOFT XLED | 29

ITL338W / IPL336W

IPL144W



IPL129W



IPL130W



ITL161W



ITL129W




IPL131W




IPL143W



IPL230W



ITL130W



ITL291W



ITL291W + 1 TSL2W

IPL144W-QUADRILLE GRAND

1.0m | 1.0m | 10.5kg | 50W

STARS&SLOWFLASH&XLED | 93

IPL129W-QUADRILLE

2.0m | 0.9m | 7.6kg | 40W

STARS&SLOWFLASH | 57

IPL130W-QUADRILLE PETIT

1.2m | 0.6m | 4kg | 20W

STARS&SLOWFLASH | 33

ITL161W-QUADRILLE CHAIN

1.2m | 6.0m | 25.5kg | 90W

XLED&STARS&FLASH | 116

ITL130W-QUADRILLE CURVE

1.0m | 1.0m | 15.1kg | 80W

STARS&SLOWFLASH | 114

IPL131W-QUADRILLE BANNER

1.8m | 0.8m | 9.7kg | 50W

STARS&SLOWFLASH | 8

IPL143W-SERENADE

1.5m | 0.6m | 3.9kg | 25W

STARS&SLOWFLASH&FLASH | 34

IPL230W-QUADRILLE ROLL

1.5m | 1.0m | 5kg | 25W

XLED&STARS&FLASH | 45

ITL129W-QUADRILLE ARC

1.2m | 4.0m | 18kg | 100W

STARS&SLOWFLASH | 132

ITL291W-QUADRILLE UNIT

0.8m | 0.7m | 2.4kg | 15W


SLOWFLASH&STARS&XLED | 26




ITL161W



ITL130W




IPL130W



IPL144



IPL129



IPL130



IPL131


IPL143


IPL230


ITL161


ITL129


ITL130


ITL291

ITL291 + 1 TSL2

IPL144- QUADRILLE GRAND
3.0m | 1.0m | 10.5kg | 50W
STARS&SLOWFLASH&XLED | 93

IPL129- QUADRILLE
2.0m | 0.9m | 7.6kg | 40W
STARS&SLOWFLASH | 57

IPL130- QUADRILLE PETIT
1.2m | 0.6m | 4kg | 20W
STARS&SLOWFLASH | 33

ITL161- QUADRILLE CHAIN
1.2m | 6.0m | 25.5kg | 90W
XLED&STARS&FLASH | 116

ITL130- QUADRILLE CURVE
1.0m | 5.0m | 15.1kg | 80W
STARS&SLOWFLASH | 114
TO ORDER

IPL131- QUADRILLE BANNER
2.8m | 0.8m | 9.7kg | 50W
STARS&SLOWFLASH | 8

IPL143- SERENADE
1.5m | 0.6m | 3.9kg | 25W
STARS&SLOWFLASH | 34

IPL230- QUADRILLE ROLL
1.3m | 1.0m | 5kg | 25W
XLED&STARS&FLASH | 45

ITL129- QUADRILLE ARC
1.2m | 4.0m | 18kg | 100W
STARS&SLOWFLASH | 132

ITL291- QUADRILLE UNIT
0.8m | 0.7m | 2.4kg | 15W
SLOWFLASH&STARS&XLED | 26


ITL161 / IPL131

ITL101W



ITL102W



ITL022W



ITL316W N



ITL315 N



ITL315 + 1 TSL2W

ITL101



ITL102



ITL022



ITL163



ITL233



ITL101W-GRAND MIA
2.0m 2.0m 18kg 150W
SLOWFLASH 216

ITL102W-MIA
1.0m 1.0m 5.8kg 45W
SLOWFLASH 73

ITL022W-DENDRA
1.0m 0.9m 3kg 30W
41

ITL316W-HEXA CHAIN
1.0m 4.0m 15kg 95W
FLASH & SOFT XLED

ITL163-THORN CHAIN
1.2m 6.0m 26.5kg 115W
XLED&SLOWFLASH&STARS 194

ITL101-GRAND MIA
2.0m 2.0m 18kg 150W
SLOWFLASH 216

ITL102-MIA
1.0m 1.0m 5.8kg 45W
SLOWFLASH 73

ITL022-DENDRA
1.0m 0.9m 3kg 30W
41

ITL315-HEXA
1.0m 0.9m 4kg 27W

ITL233-QUADRILLE JF
0.8m 4.5m 15.1kg 105W
XLED&FLASH&STARS 166








Grace

The GRACE collection is inspired by Baroque style.
Born in Italy in the 17th century, this artistic movement is characterised by its majestic ornamentation and arabesques, symbols that we have chosen to combine with more pared-back contemporary lines.
An essential element in Baroque style, the chandelier is available in several versions that you will find in these pages.

BAROQUE
ARABESQUES
CHANDELIERS
ELEGANCE
ORNAMENTATION
GILDING


























IPL317R



IPL318R



IPL320R



IPL319R


ITL321R + 1 TSL2


ITL226W


ITL218W + 1 TSL2W


IPL202W


IPL226W


IPL203W


IPL231W

IPL317R- DROP BANNER
2.8m | 0.8m | 11kg | 48W
SLOWFLASH & SOFT XLED | 14
TO ORDER

IPL318R- DROP GRAND
2.5m | 0.9m | 8kg | 40W
SLOWFLASH & SOFT XLED | 16

IPL320R- DROP PETIT
1.5m | 0.6m | 6kg | 32W
SLOWFLASH & SOFT XLED | 5

IPL319R- DROP ROLL
1.9m | 1.0m | 6kg | 36W
SLOWFLASH & SOFT XLED | 56
TO ORDER

ITL321R- DROP UNIT
1.0m | 1.0m | 8kg | 42W
SLOWFLASH & SOFT XLED | 69

ITL218W- COIMBRA UNIT
1.0m | 1.0m | 3.8kg | 30W
XLED&FLASH | 42

IPL202W- COIMBRA BANNER
2.8m | 0.8m | 12kg | 60W
FLASH&XLED&SLOWFLASH | 43

IPL226W- COIMBRA
2.0m | 0.9m | 7kg | 40W
FLASH&XLED&SLOWFLASH | 56

IPL203W- COIMBRA PETIT
1.5m | 0.6m | 4kg | 20W
FLASH | 22

IPL231W- COIMBRA ROLL
1.2m | 0.9m | 4.5kg | 30W
FLASH&XLED&SLOWFLASH | 36

ITL226W- COIMBRA DOUBLE
0.9m | 4.0m | 14.5kg | 80W
XLED &FLASH&SLOWFLASH | 111


ITL321R / IPL318R



IPL317R


ITL218W / IPL226W

IPL267W



IPL266W



IPL265W



ITL266W



ITL165W



IPL031W



IPL268W



IPL082W



ITL077W



IPL267W- GRACE GRAND

1.5m | 1.0m | 11.5kg | 50W

SLOWFLASH&XLED | 18

IPL266W- GRACE PETIT

2.0m | 0.9m | 6.5kg | 40W

SLOWFLASH&XLED | 64

IPL265W- GRACE PETIT

1.5m | 0.6m | 3.7kg | 20W

SLOWFLASH&XLED | 38

ITL266W- GRACE DOUBLE

0.9m | 4.0m | 12.7kg | 80W

SLOWFLASH&XLED | 128

ITL077W- BOLCHOI

1.2m | 6.0m | 25.3kg | 160W

XLED&SLOWFLASH | 235

IPL031W- MAZURKA

2.0m | 0.9m | 7.4kg | 55W

XLED&SLOWFLASH | 53

IPL268W- GRACE ROLL

1.7m | 1.1m | 5.5kg | 35W

SLOWFLASH&XLED | 47

IPL082W- LIBRETTO

1.2m | 0.6m | 3.5kg | 30W

XLED&SLOWFLASH | 33

ITL165W- ILWAN

1.0m | 1.0m | 15.3kg | 105W

XLED&SLOWFLASH | 141



ITL165W

ITGL170W



TGL169LW



ITGL100



ITGL170B



GX114LW



ITGL101W



ITGL170W- SPIRIT

2.0m | 1.1m | 1.1m | 44kg | 87W

FLASH

TO ORDER

ITGL170B- SPIRIT

2.0m | 1.1m | 1.1m | 44kg | 87W

FLASH

TO ORDER

TGL169LW- BAROQUE

1.4m | 1.2m | 1.2m | 26kg | 135W

13

GX114LW- JAVA

1.5m | 1.2m | 1.2m | 27kg | 30W

FLASH 78

ITGL100- CADENCE

1.5m | 1.2m | 1.2m | 17.5kg | 55W

SLOWFLASH 153

ITGL101W- NOELIE

1.0m | 0.9m | | 3.8kg | 20W

SLOWFLASH 38



TGL170LW



ITGL100



TGL169LW

IPL311 N



IPL300B N



IPL300G N



ITL310 N



IPL311W N



ITL310W N



IPL311- PLANT RING XMAS

1.0m | 0.6m | 0.6m | 6kg | 7W

FLASH 24

IPL311W- PLANT RING XMAS

1.0m | 0.6m | 0.6m | 6kg | 7W

FLASH 24

IPL300B- PLANT XMAS

1.9m | 0.5m | 0.42kg

14

IPL300W- PLANT XMAS

1.2m | 0.5m | 0.4kg

14

ITL310- PLANT LINE XMAS

0.8m | 1.2m | 0.7kg | 5W

FLASH 24

ITL310W- PLANT LINE XMAS

0.8m | 1.2m | 0.7kg | 5W

FLASH 24



ITL311 / IPL311

IPL135



IPL075B



IPL110



ITL021



ITL021 + 1 TSL2

ITL135



IPL135W



IPL075W



IPL110W



ITL135W



IPL135-FLORA
3.0m 1.0m 13.3kg 70W
STARS&SLOWFLASH 94

IPL135W-FLORA
3.0m 1.0m 13.3kg 70W
STARS&SLOWFLASH 94

IPL075B-ZEPHYR
2.5m 0.9m 8.2kg 60W
XLED&SLOWFLASH 76

IPL075W-ZEPHYR
2.5m 0.9m 8.2kg 60W
XLED&SLOWFLASH 76

IPL110-ASTERIE
2.0m 0.9m 5.1kg 30W
SLOWFLASH 6

IPL110W-ASTERIE
2.0m 0.9m 5.1kg 30W
SLOWFLASH 6

ITL021-AIGUILLE
1.3m 1.5m 4.6kg 55W
65

ITL135-FLORA DOUBLE
1.0m 6.0m 26kg 150W
STARS&SLOWFLASH 187

ITL135W-FLORA DOUBLE
1.0m 6.0m 26kg 150W
STARS&SLOWFLASH 187



IPL075W



ITL021



IPL135W

Precious

The Precious collection is inspired by the world of jewellery and fashion.

The design's lines echo those of items of jewellery: long necklaces, pendants and pearls are all refined references found in this theme.

A symbol of Christmas par excellence, the bow evokes connection, sharing and the joy of gifting, imposing its precious and timeless style.

JEWELLERY
LINKS
ADORNMENT
FASHION
BOW
RIBBONS


















IPL332W + IPL334W N



IPL332W N



IPL333W N



ITL333W N



ITL332W N



ITL332W + 1 TSL2W

IPL328W N



IPL329W N



IPL330W N



ITL328W N



ITL331W N



ITL331W + 1 TSL2W

IPL332W- DANDY

0.6m | 1.0m | 7kg | 54W

SLOWFLASH & SOFT XLED 67

IPL328W- LUCKY GRAND

1.0m | 1.0m | 14kg | 93W

SLOWFLASH & SOFT XLED 95

IPL333W- DANDY DRAPEAU

2.0m | 0.9m | 9kg | 55W

SLOWFLASH & SOFT XLED 118

ITL333W- DANDY DOUBLE

0.9m | 4.0m | 17kg | 110W

SLOWFLASH & SOFT XLED 257

ITL328W- LUCKY DOUBLE

1.0m | 6.0m | 28kg | 185W

SLOWFLASH & SOFT XLED 189

IPL334W- DANDY POLE

4.0m | 0.2m | 1kg | 4W

22

IPL329W- LUCKY

2.5m | 0.7m | 9kg | 38W

SLOWFLASH & SOFT XLED 69

IPL330W- LUCKY PETIT

1.5m | 0.7m | 5kg | 29W

SLOWFLASH & SOFT XLED 41

ITL332W- DANDY UNIT

0.6m | 1.0m | 7kg | 54W

FLASH 67

ITL331W- LUCKY UNIT

1.0m | 0.9m | 5kg | 25W

44




ITL332W / IPL333W



ITL331W / IPL334W



ITL333W



ITGL182WW- LANTERN BOHO 3

0.6m | 0.4m | 0.4m | 1kg | 4W

EFFET FLAMME

TO ORDER

ITGL182BW- LANTERN BOHO 3

0.6m | 0.4m | 0.4m | 1kg | 4W

4

TO ORDER

ITGL180WW- LANTERN BOHO 1

0.8m | 0.4m | 0.4m | 1kg | 4W

EFFET FLAMME 45

TO ORDER

ITGL180BW- LANTERN BOHO 1

0.8m | 0.4m | 0.4m | 1kg | 4W

EFFET FLAMME 45

TO ORDER

ITGL179WW- LANTERN BOHO 2

0.5m | 0.5m | 0.5m | 4kg | 4W

EFFET FLAMME

TO ORDER

ITGL179BW- LANTERN BOHO 2

0.5m | 0.5m | 0.5m | 4kg | 4W

EFFET FLAMME

TO ORDER

IPL326W N




IPL324W N



IPL325W N



ITL327W N




ITL327W + 1 TSL2

IPL087W



IPL115W



IPL272W



ITL033W



IPL326W-BOHO BANNER
2.8m 0.8m 11kg 41W
FLASH 82

IPL324W-BOHO GRAND
2.3m 0.9m 10kg 43W
FLASH 83

IPL325W-BOHO
2.0m 0.9m 10kg 45W
FLASH 77

ITL327W-BOHO UNIT
1.0m 0.8m 5kg 24W
FLASH 48

ITL033W-RHAPSODY DOUBLE
1.6m 6.0m 28.6kg 185W
FLASH 235
TO ORDER

IPL087W-LIANO
1.0m 1.0m 12.8kg 95W
XLED&SLOWFLASH 76

IPL115W-LYRE
2.0m 0.9m 6.1kg 40W
SLOWFLASH&XLED 63

IPL272W-RIALTO
1.5m 1.0m 3kg 25W
FLASH&XLED 26



ITL327W / IPL325W



ITL033W



IPL272W

IPL039W



IPL151W



IPL141W



TL311W




TL312W



TL311R



TL312R



IPL039



IPL272



IPL145W



ML019W N



ML020W N



IPL039W- PENELOPE

2.0m | 0.7m | 5.9kg | 35W

FLASH 61

IPL151W- CASCADE

2.0m | 0.9m | 7.6kg | 45W

SLOWFLASH 25

IPL141W- ILIADE

1.0m | 0.7m | 3.4kg | 25W

FLASH 31

TL311W- CLEA

2.1m | 1.8m | 0.5m | 22kg | 45W

FLASH

ML019W- DANDY XL

1.4m | 2.0m | 0.5m | 18kg | 152W

SOFT XLED

TO ORDER

TL312R- CLEO RUBAN

0.8m | 2.0m | 8kg | 45W

FLASH

TO ORDER

IPL039- PENELOPE

2.0m | 0.7m | 5.9kg | 35W

SLOWFLASH 61

IPL272- RIALTO

1.5m | 1.0m | 5kg | 25W

FLASH&XLED 26

IPL145W- LIV PETIT

1.2m | 0.6m | 3.7kg | 25W

SLOWFLASH 29

TL311R- CLEO

2.1m | 1.8m | 0.5m | 22kg | 45W

FLASH

TO ORDER

TL312W- CLEA RUBAN

0.8m | 2.0m | 0.0m | 8kg | 45W

FLASH

ML020W- DANDY RUBAN

0.4m | 2.0m | 5kg | 27W

FLASH

ITL311W

COSY

Close your eyes and breathe in the delicious scent of cinnamon that fills the alleyways of the
Christmas market.
Pine green, red and gold are the key colours in this collection, which has a warm, traditional and gourmand feel. Lanterns of every variety are an integral part of this Cosy collection, an ode to festive winter traditions with family and friends.

TRADITION
WARM
COCOONING
PINE TREES
CANDLE
LANTERNS















IPL134W



IPL114W




PL334W



ITL113W



GX117LW



GX117LW + 2x GP303W

IPL139W



IPL140W



PL344



GX116LW



GX116LW + 2x GP303W

IPL134W-OLYMPE BANNER

2.8m | 0.8m | 9.7kg | 50W

SLOWFLASH 63

IPL114W-ZOE

2.0m | 0.9m | 8.7kg | 65W

SLOWFLASH 57

PL344W-BOA

0.6m | 1.0m | 1.0m | 5.3kg | 10W

FLASH

ITL113W-CALYPSO DOUBLE

0.9m | 4.0m | 15.1kg | 110W

SLOWFLASH 82

GX116LW-ACHILLE

0.7m | 0.6m | 3.6kg | 15W

ANIME BOUGIE

IPL139W-NORDIKA 2D - GM

1.0m | 1.2m | 13.6kg | 40W

SLOWFLASH 43

IPL140W-NORDIKA 2D - PM

1.6m | 0.7m | 6.5kg | 20W

SLOWFLASH 21

PL344-BOA

0.6m | 1.0m | 1.0m | 5.3kg | 10W

FLASH


GX117LW-ULYSSE

2.0m | 1.5m | 1.5m | 25.6kg | 130W


SLOWFLASH 11



GX117LW


IPL271R


IPL271W


IPL270R


IPL270W



IPL271R- COSY PETIT
1.5m | 0.6m | 3.5kg | 30W
SLOWFLASH 28

IPL271W- COSY PETIT
1.5m | 0.6m | 3.5kg | 30W
SLOWFLASH 28

ITL276R- COSY STAR UNIT
1.0m | 0.9m | 2.7kg | 20W
SLOWFLASH 38

ITL279W- COSY BALL UNIT
1.0m | 0.8m | 3.3kg | 20W
SLOWFLASH 40

ITL279R- COSY BALL UNIT
1.0m | 0.8m | 3.3kg | 20W
SLOWFLASH 40

ITL276W- COSY STAR UNIT
1.0m | 0.9m | 2.7kg | 20W
SLOWFLASH 38

IPL270R- COSY
2.0m | 0.9m | 6kg | 40W
SLOWFLASH 43

IPL270W- COSY
2.0m | 0.9m | 6kg | 40W
SLOWFLASH 43

ITL275R- COSY UNIT
1.0m | 0.8m | 3.2kg | 20W
SLOWFLASH 40

ITL278W- COSY TREE UNIT
1.0m | 0.8m | 2.5kg | 20W
SLOWFLASH 55

ITL277W- COSY ANGEL UNIT
1.0m | 0.6m | 2.4kg | 20W
SLOWFLASH 38


ITL275R / IPL271W / IPL271R



ITL276R / ITL275R/ ITL279R



IPL076W



IPL076




IPL081W



ITL076W



FCL080G-E



FCL080G-E + 2x GP303W

IPL070B



IPL070W



VL045W



ITL009



ITL061



IPL076W- CASSIOPEE

5.0m | 1.0m | 12.2kg | 60W

XLED&SLOWFLASH | 94

IPL076- CASSIOPEE

5.0m | 1.0m | 12.2kg | 60W

XLED&SLOWFLASH | 94

IPL081W- SAMBA

2.5m | 1.3m | 6.9kg | 45W

XLED&SLOWFLASH | 43

ITL076W- CASSIOPEE DOUBLE

5.0m | 6.0m | 23.4kg | 120W

XLED&SLOWFLASH | 187

FCL080G-E

0.8m | 0.8m | 0.8m | 2.2kg | 15W

IPL070B- TWISTER

2.0m | 0.9m | 6.5kg | 35W

STARS&SLOWFLASH | 51

IPL070W- TWISTER

2.0m | 0.9m | 6.5kg | 35W

STARS&SLOWFLASH | 51

VL045W- BLIZZARD VL

5.0m | 2.2m | 2.2m | 29kg | 105W

XLED&FLASH | 225

ITL009- JF

0.9m | 3.5m | 10.9kg | 80W

16

ITL061- JF

0.9m | 3.5m | 10.9kg | 80W

16



ITL076W / IPL076W

2D

ITL053



ITL053W




3D

ITGL104 / ITGL105



ITGL104W / ITGL105W






Vue de face Vue de côté

3D

TGL70W / TGL71W / TGL72W




G-SPHER+



G-MONT+



TGL70WW / TGL71WW / TGL72WW



G-SPHERW+




G-MONTW+



TGL71LWCL





ITL053- SPHERE GM

1.0m 1.0m / 2.8kg 20W

FLASH 35

ITL053W- SPHERE GM

1.0m 1.0m / 2.8kg 20W

SLOWFLASH 35

ITGL105- SPHERE FULL GM

0.8m 0.8m 0.4m 3.2kg 20W

SLOWFLASH

ITGL104- SPHERE FULL MM

0.5m 0.5m 0.3m 1.7kg 10W

SLOWFLASH

ITGL104W- SPHERE FULL MM

0.5m 0.5m 0.3m 1.7kg 10W

SLOWFLASH

ITGL105W- SPHERE FULL GM

0.8m 0.8m 0.4m 3.2kg 20W

SLOWFLASH

TGL71LW- SPHERE PLIABLE MM

1.0m 1.0m 1.0m 11.5kg 75W

FLASH

TGL71LWW- SPHERE PLIABLE MM

1.0m 1.0m 1.0m 11.5kg 75W

FLASH

TGL70LW- SPHERE PLIABLE PM

0.6m 0.6m 0.6m 3.9kg 30W

FLASH

TGL71LWCL- CHERRY LIGHT SPHERE

1.0m 1.0m 1.0m 11.5kg 15W

G-SPHER+- SPHERE

0.6m 0.6m 0.6m 2.3kg 12W

TGL70LWW- SPHERE PLIABLE PM

0.6m 0.6m 0.6m 3.9kg 30W

FLASH

G-SPHERW+- SPHERE

0.6m 0.6m 0.6m 2.3kg 12W

G-MONT+- MONTGOLFIÈRE

0.6m 0.6m 0.6m 2.3kg 12W

TGL72LW- SPHERE PLIABLE GM

1.6m 1.6m 1.6m 24.8kg 165W

FLASH

G-MONTW+- MONTGOLFIÈRE

0.6m 0.6m 0.6m 2.3kg 12W

TGL72LWW- SPHERE PLIABLE GM

1.6m 1.6m 1.6m 24.8kg 165W

FLASH



TGL71LWCL




TGL71LW



G-MONT+ AG-SPHERW+

ITGL141




ITGL131



ITGL111



ITGL102



ITGL117R




ITGL131W



ITGL111W



ITGL102W



ITGL141-ALTO

1.0m | 1.0m | 0.4m | 5.1kg | 35W

ITGL131-GOUTTE

0.8m | 0.4m | 0.5m | 1.8kg | 10W

ITGL111-STAR 7

0.8m | 0.8m | 0.2m | 1.9kg | 15W

ITGL102-DIAMS

0.6m | 0.4m | 0.2m | 1.5kg | 15W

ITGL117R-LOVE

0.6m | 0.6m | 0.5m | 2kg | 8W

ITGL131W-GOUTTE

0.8m | 0.4m | 0.5m | 1.8kg | 10W

ITGL111W-STAR 7

0.8m | 0.8m | 0.2m | 1.9kg | 15W


ITGL102W-DIAMS

0.6m | 0.4m | 0.2m | 1.5kg | 15W

GX048L



ITGL130W



TGL247LW



G-FL930BB



TL347W



GX048LW-AURORA

0.7m | 0.5m | 0.5m | 4.3kg | 40W

ITGL130W-LANTERNA

0.7m | 0.7m | 0.4m | 2.9kg | 25W

TGL247LW-LUZ

0.4m | 0.5m | 0.5m | 1.3kg | 5W

G-FL930BB-NOSTALGIA

0.5m | 0.2m | 0.2m | 0.9kg | 4W

TL347W-LANTERN

1.0m | 0.8m | 2.8kg | 20W

STARS



G-FL930BB



ITGL130W



GX048L

Cristal

The Cristal collection brings a breath of freshness to your polar decoration.
Delicate arabesques and more decorative lines warm up this glacial world.
New snowflakes with softer designs in warm shades, mixing pure white and warm white, make up this range inspired by the nomadic peoples of the Far North.

POLAR
MOUNTAINS
FROSTY ATMOSPHERE
SNOWFLAKES
BLIZZARD
ARCTIC

















IPL128W



IPL323W N



IPL127W



ITL127W




ITL232W



IPL128



IPL322 N



IPL127



ITL127



ITL059W



IPL128W- MILO BANNER
2.8m · 0.8m · 8.8kg · 50W
STARS&FLASH · 43

IPL323W- JOEL
2.0m · 0.9m · 7kg · 37W
FLASH · 67

IPL127W- MILO
2.0m · 0.9m · 7.2kg · 50W
STARS&FLASH · 41

ITL127W- MILO ARC
1.2m · 4.0m · 17.4kg · 110W
STARS&FLASH · 116
TO ORDER

ITL127- MILO ARC
1.2m · 4.0m · 17.4kg · 110W
STARS&FLASH · 116

IPL128- MILO BANNER
2.8m · 0.8m · 8.8kg · 50W
STARS&FLASH · 43

IPL322- WOODY
2.0m · 0.9m · 6kg · 54W
FLASH · 52

IPL127- MILO
2.0m · 0.9m · 7.2kg · 50W
STARS&FLASH · 41

ITL232W- LINE JF
1.0m · 4.0m · 17kg · 120W
XLED&STARS · 83

ITL232W- JF VOLUTUS
1.2m · 4.9m · 23.6kg · 155W
FLASH&STARS · 132

IPL325W



IPL199



IPL201



IPL200




IPL199W



IPL201W



IPL200W




ITL314

ITL312

ITL312 + 1 TSL2

ITL314 + 1 TSL2



ITL314W

ITL312W

ITL312W + 1 TSL2

ITL314W + 1 TSL2

IPL199-LINE BANNER

2.8m | 0.8m | 10.8kg | 60W

FLASH&XLED&STARS 83

IPL201-LINE GRAND

2.5m | 0.9m | 8.5kg | 50W

FLASH&XLED&STARS 67

IPL200-LINE DRAPEAU

2.0m | 0.9m | 8.5kg | 50W

FLASH&XLED&STARS 67

ITL314-WALLIS GRAND

1.6m | 1.4m | 9kg | 42W

FLASH&STARS 57

ITL312-WALLIS

0.8m | 0.8m | 2.5kg | 20W

STARS 32

IPL199W-LINE BANNER

2.8m | 0.8m | 10.8kg | 60W

FLASH&XLED&STARS 83

IPL201W-LINE GRAND

2.5m | 0.9m | 8.5kg | 50W

FLASH&XLED&STARS 67

IPL200W-LINE DRAPEAU

2.0m | 0.9m | 8.5kg | 50W

FLASH&XLED&STARS 67

ITL314W-WALLIS GRAND

1.6m | 1.4m | 9kg | 42W

FLASH&STARS 57

ITL312W-WALLIS

0.8m | 0.8m | 2.5kg | 20W

STARS 32



ITL312W / ITL314W + GP303W / PIX05B

IPL072W



IPL118W



IPL084



ITL072W



ITL118W



PL250W




PL250B



PIX05B



TGL139W



TGL139W + 1 TSL2

IPL072W- ALYZE

5.0m | 1.0m | 12.4kg | 60W

STARS&XLED&SLOWFLASH | 102

IPL118W- BLIZZARD

2.5m | 0.7m | 10kg | 60W

SLOWFLASH&STARS | 100

IPL084- CRISTALLIN

1.5m | 0.6m | 4.1kg | 35W

XLED&SLOWFLASH | 35

ITL072W- ALYZE DOUBLE

1.0m | 6.0m | 24.5kg | 120W

STARS&XLED&SLOWFLASH | 203

TGL139W- BELLA

1.5m | 1.5m | 1.5m | 18.3kg | 120W

FLASH

PL250- TIVANO

1.8m | 0.9m | 4.6kg | 24W

STARS&FLASH

PL250B- TIVANO

1.8m | 0.9m | 4.6kg | 24W

STARS&FLASH

PIX05B- XMAS PIX

0.9m | 0.9m | 2kg


ITL118W- GRAND BLIZZARD

1.0m | 1.0m | 24kg | 135W

STARS&SLOWFLASH | 224

ITL072W / IPL072W

IPL160



IPL150



IPL122




ITL160



ITL167



VL046



IPL126



IPL126W



ITL126



IPL160-VENTURO
3.0m 1.0m 11kg 65W
FLASH 99

IPL150-THORN
2.0m 0.9m 6kg 40W
XLED&FLASH 62

IPL122-ALTHAIR
1.5m 0.7m 4.2kg 30W
STARS&SLOWFLASH 54

ITL160-VENTURO DOUBLE
1.0m 6.0m 22.6kg 150W
FLASH 197

ITL126-ASIA CURVE
1.0m 3.0m 16.3kg 100W
STARS&SLOWFLASH 201

VL046- LINE VL
3.0m 2.0m 2.0m 35.4kg 210W
XLED&FLASH 235

IPL126- ASIA
1.5m 0.6m 5.4kg 40W
SLOWFLASH 62

IPL126W-ASIA
1.5m 0.6m 5.4kg 40W
SLOWFLASH 62

ITL167-APELIOTE
1.2m 4.0m 22.5kg 150W
STARS 166
TO ORDER





IPL130


ITL167

stella

Whether shooting or sparkling, the star comes in every shape and shade to the delight of young and old, who come to admire this celestial show.
The star is also the symbol of magic, and all your wishes come true with the wave of a wand!













STAR
MAGIC
CONSTELLATION
SUPERNOVA
LUMINARY
SOLAR





IPL257



IPL257W



IPL257B



IPL258



IPL258W



IPL258B



ITL262



ITL262W




ITL262B



ITL261

ITL261W

ITL261B



ITL261 + 1 TSL2

ITL261W + 1 TSL2

ITL261B + 1 TSL2

IPL257-ROMAN BANNER

2.8m | 0.8m | 9kg | 30W

SLOWFLASH&STARS | 43

TO ORDER

IPL257W-ROMAN BANNER

2.8m | 0.8m | 9kg | 30W

SLOWFLASH&STARS | 43

IPL257B-ROMAN BANNER

2.8m | 0.8m | 9kg | 30W

SLOWFLASH&STARS | 43

ITL262-ROMAN CURVE

1.0m | 4.0m | 14.5kg | 65W

SLOWFLASH&STARS | 101

TO ORDER

ITL262B-ROMAN CURVE

1.0m | 4.0m | 14.5kg | 65W

SLOWFLASH&STARS | 101

ITL261W-ROMAN UNIT

1.0m | 0.9m | 2.9kg | 20W

SLOWFLASH&STARS | 18

IPL258-ROMAN

2.0m | 0.9m | 8kg | 30W

SLOWFLASH&STARS | 48

TO ORDER

IPL258W-ROMAN

2.0m | 0.9m | 8kg | 30W

SLOWFLASH&STARS | 48

IPL258B-ROMAN

2.0m | 0.9m | 8kg | 30W

SLOWFLASH&STARS | 48

ITL262W-ROMAN CURVE

1.0m | 4.0m | 14.5kg | 65W

SLOWFLASH&STARS | 101

ITL261-ROMAN UNIT

1.0m | 0.9m | 2.9kg | 20W

SLOWFLASH&STARS | 18

TO ORDER

ITL261B-ROMAN UNIT

1.0m | 0.9m | 2.9kg | 20W

SLOWFLASH&STARS | 18



ITL261W / IPL258W


IPL259


IPL259W


IPL260W



ITL234W


ITL227B


ITL227W


IPL191B


IPL191W


IPL191R

IPL259- ROMAN PETIT
1.2m | 0.6m | 2.7kg | 15W
SLOWFLASH&STARS&XLED | 24

IPL259W- ROMAN PETIT
1.2m | 0.6m | 2.7kg | 15W
SLOWFLASH&STARS&XLED | 24

IPL260W- ROMAN ROLL
1.5m | 1.0m | 3.6kg | 15W
SLOWFLASH&STARS

ITL234W- ASTRAL JF
0.9m | 4.5m | 16kg | 100W
STARS | 19

ITL227W- ASTRAL CHAIN
1.0m | 4.0m | 11.9kg | 65W
STARS&FLASH | 68

IPL191B- ASTRAL
2.0m | 0.9m | 4.3kg | 60W
SLOWFLASH&XLED&STARS | 79

IPL191W- ASTRAL
2.0m | 0.9m | 4.3kg | 60W
SLOWFLASH&XLED&STARS | 79

IPL191R- ASTRAL
2.0m | 0.9m | 4.3kg | 60W
SLOWFLASH&XLED&STARS | 79

ITL227B- ASTRAL CHAIN
1.0m | 4.0m | 15.5kg | 65W
STARS&FLASH | 68


IPL259W



ITL234W / ITL227W


IPL191W


IPL190B



IPL190W



IPL190R



IPL189B



IPL189W



IPL189R



ITL094W



ITL191B



ITL191W



IPL190B- ASTRAL BANNER

2.8m | 0.8m | 10.1kg | 55W

XLED&STARS&SLOWFLASH | 67

TO ORDER

IPL189B- ASTRAL DRAPEAU

3.0m | 1.0m | 13.5kg | 65W

XLED&STARS&SLOWFLASH | 128

TO ORDER

IPL190W- ASTRAL BANNER

2.8m | 0.8m | 10.1kg | 55W

FLASH&XLED&STARS | 67

IPL189W- ASTRAL DRAPEAU

3.0m | 1.0m | 13.5kg | 65W

XLED&STARS&SLOWFLASH | 128

IPL190R- ASTRAL BANNER

2.8m | 0.8m | 10.1kg | 55W

FLASH&XLED&STARS | 67

TO ORDER

IPL189R- ASTRAL DRAPEAU

3.0m | 1.0m | 13.5kg | 65W

XLED&STARS&SLOWFLASH | 128

TO ORDER

ITL094W- GRANDE STELLA

1.2m | 6.0m | 26.4kg | 195W

XLED&SLOWFLASH | 25

ITL191B- ASTRAL TRAVERSE

2.9m | 4.0m | 20kg | 120W

STARS&XLED&SLOWFLASH | 167

ITL191W- ASTRAL TRAVERSE

2.9m | 4.0m | 20kg | 120W

STARS&XLED&SLOWFLASH | 167



ITL091W


IPL094W



IPL228B


IPL228W


ITL083W ITL082W


ITL043W


IPL042W


IPL340W


IPL117W


ITL132W

IPL094W- STELLA
5.0m 1.0m 10.8kg 70W
XLED&SLOWFLASH 9

IPL228B- ASTRAL ROLL
1.5m 1.1m 6kg 35W
STARS&XLED&SLOWFLASH 51

IPL228W- ASTRAL ROLL
1.3m 1.1m 6kg 35W
STARS&XLED&SLOWFLASH 51

ITL082W- ANTHARES MM
0.9m 0.9m 3.3kg 35W
SLOWFLASH 37

ITL043W- CAJUN JF
1.6m 4.6m 28.2kg 270W
FLASH 175
TO ORDER

IPL042W- CELESTE
1.0m 0.9m 10kg 75W
FLASH 92

IPL340W- ALPS
2.5m 1.0m 9kg 70W
FLASH 65

IPL117W- BLIZZARD BANNER
2.8m 0.8m 10.2kg 45W
SLOWFLASH 76

ITL083W- ANTHARES GM
1.2m 1.2m 5.6kg 50W
SLOWFLASH 47

ITL132W- BOLERO ARC
1.2m 4.0m 19.5kg 135W
XLED&SLOWFLASH 162


PIX05B


IPL340W


IPL042W

ITL020B



ITGL112



ITL115



G-STAR+



ITL020W



ITGL112W



ITL115W



G-STARW+



ITL020B-GIVRE

1.0m 0.9m 4.5kg 40W

SLOWFLASH 47

ITGL112-STAR 5

0.8m 0.8m 0.2m 1.5kg 10W

ITL115-LILLY

0.5m 0.4m 4kg 16W

2

G-STAR+- STAR

0.6m 0.6m 0.6m 2.3kg 12W

ITL020W-GIVRE

1.0m 0.9m 4.5kg 40W

FLASH 47

ITGL112W-STAR 5

0.8m 0.8m 0.2m 1.5kg 10W

ITL115W-LILLY

0.5m 0.4m 4kg 16W

2

G-STARW+- STAR

0.6m 0.6m 0.6m 2.3kg 12W



ITGL112



ITL115W / ITL115



ITL020W / ITL115W





DUO COLORS® RANGE

2 in 1 products!

FROM ONE YEAR TO THE NEXT, SWITCH YOUR DECOR FROM WARM WHITE TO PURE WHITE ACCORDING TO YOUR DESIRES!


You can choose from a warm white or pure white.
By reversing the connectors, you can obtain either a pure white decor/ pure white flash or a warm white decor/ warm white flash.





GX118DC-DUO COMETE
2.6m | 2.2m | 1.2m | 37.4kg | 35W
FLASH

GX266DC-MINI MAGIC
2.5m | 1.6m | 1.6m | 38.5kg | 90W
FLASH



ITL288DC-DUO FLAKE
1.0m | 1.0m | 4.2kg | 25W
FLASH | 65

IPL285DC-DUO PETIT
1.5m | 0.6m | 3.5kg | 25W
FLASH&XLED | 38

IPL284DC-DUO GRANDE
1.0m | 1.0m | 9kg | 35W
FLASH | 13

IPL286DC-DUO
2.1m | 0.5m | 4.2kg | 15W
FLASH&STARS | 37

IPL283DC-DUO LINE
1.5m | 0.7m | 4kg | 20W
FLASH&XLED | 58

ITL282DC-DUO DOUBLE
0.9m | 4.0m | 12.6kg | 50W
XLED&FLASH | 140

IPL282DC-DUO LINE GRAND
2.0m | 0.9m | 6.2kg | 25W
FLASH&XLED | 17



SOLAR RANGE

Consumption:
Zero watts !
Zero € !

Varied decorations that adapt to all your decoration themes and work with solar energy

Thanks to our new solar-powered rechargeable battery, you can combine lighting with energy efficiency.


Once your decor is in place, position the solar box on top of it facing the right way, set your switch-on and switch-off times and enjoy your lighted decorations.
Technical details:

- 8 to 10 hours of recharging with optimal sunlight for 7 hours of lighting.
- Your lights can be programmed to operate for 5, 6 or 7 hours.

Enter decor reference no. + PIXSOL2


PIXSOL2

20W panel power
7,2W power output



When you set it up, make sure it is facing the right way to get the most sun during the day
These decorations are equipped only with 24V LED garlands.

100% autonomous



PIXSOL2 (p.275)

+













IPS289W- STARS S.
1.2m | 0.60m | 4.0kg | 8W
FLASH&STARS | 30
TO ORDER

IPS290- RIBBON S.
1.8m | 0.45m | 5.0kg | 10W
FLASH&XLED | 38
TO ORDER

IPS280W- QUADRILLE S.
2.0m | 0.9m | 7.0kg | 11W
FLASH&XLED&STARS | 57
TO ORDER

IPS264W- BLIZZY S.
1.2m | 0.5m | 5.0kg | 4W
FLASH&STARS | 28
TO ORDER

IPS280- QUADRILLE S.
2.0m | 0.9m | 7.0kg | 11W
FLASH&XLED&STARS | 57
TO ORDER

IPS281W- RIBBON S.
1.2m | 0.6m | 4.0kg | 7W
XLED&STARS | 28
TO ORDER

PLAY MAGIC

Play in augmented reality!

Allowing audiences to do things like take a photo with Father Christmas or play with Charlie the Unicorn, our augmented reality apps add virtual characters into the real world, leaving the public laughing and amazed.
Children and adults can easily take part in the fun using a smartphone enjoying an unforgettable experience that transforms reality into a unique performance.

How does it work?
For the public, the idea is simple: When users approach the Play Magic banner, the app they have pre-installed on their phone automatically unlocks to give them access to the games.
They can then share the experience on their social media pages. The public app features your branding and a link to your website or social media.

For the city:
The games app has a subscription model valid while the illuminations are up, with games updated each year.
Apart from this, all you need to do is install the banner near the illuminations to tell the public they can enjoy a free game on their phone in the location. There is no need for any connection.
The app's success also depends on you advertising it on displays in your town/city and on your social media pages.
We can assist you in setting up your communications (Réf. ARCOM below).

Reference	Description
AR001	3 games pack (chosen from the 7 existing games) + 1 Totem
AR002	5 games pack (chosen from the 7 existing games) + 1 Totem
ARTOT02	1 additional Totem
ARCOM	Augmented Reality Communications Pack (non-printed poster, web banner and smartphone-format image).

FR : AR001
EN : AR001-EN
ES : AR001-ES

Games available:







GX103L- BILLY
2.7m | 2.9m | 1.4m | 65.5kg | 81W
XLED | 134
TO ORDER

GX103L-A- BILLY ANIME
2.7m | 2.9m | 1.4m | 78.5kg | 121W
INTERACTIVITE & XLED | 134
With push buttons
TO ORDER

GX146L- MARLEY
2.3m | 2.6m | 0.7m | 46.5kg | 20W
FLASH

GX200L- LULU
1.6m | 1.4m | 0.7m | 20.5kg | 15W
FLASH




EXCLUSIVE POSTCARD CONCEPT

Discover our customizable postcards featuring the name and symbols of your city!

Our postcards, crafted with 3D printing and eco-friendly materials, are more than just cards: they're customizable to include the name of your city, town, or region, along with iconic symbols of your local culture and heritage.

Imagine a piece of art that proudly reflects your geographic identity while adding a personal and modern touch to your space.

Contact your account manager to design your unique postcard together.



ECO-FRIENDLY MATERIALS



MOUNTED ON A FRAME FOR ADDED STABILITY




CUSTOMIZABLE & MADE-TO-MEASURE





2,30m

3,60m





BI-SEASON ARCH & TREE

Discover our dual-season urban furniture that adapts with the changing seasons!

First of all select your base:
A bright arch composed of pure white LEDs, livened up with wooden benches
A shade tree endowed with pure white LED spots and a white wooden bench base equipped with USB plugs.

Then, for a colourful summer look, add the SUMMER passive decoration kit to this base.
For a frosted look for year-end celebrations, add the WINTER bright decoration kit.



HIGH-QUALITY WOOD BENCH



USB PORT



SPOTLIGHT



BASE					
	3.0m	3.2m	3.2m	127kg	GX242L

KIT				
27.0m			56.7kg	KIT1-242



BASE ARCH					
	3.5m	5.0m	3.6m	245.3kg	SL134

KIT ARCH				
39.0m			41kg	KIT1-134



BASE					
	3.0m	3.2m	3.2m	127kg	GX242L

KIT SUMMER				
32.0m			38kg	KIT2-242




BASE ARCH					
	3.5m	5.0m	3.6m	245.3kg	SL134

KIT ARCH SUMMER				
37.0m			21.7kg	KIT2-134



PALM					
	3.6m	3.2m	3.2m	160kg	GX243LW



2D & 3D LETTER

Stand Out! Showcase your identity with our XXL Lettering

Place them wherever you like—on roundabouts, in front of your town hall, or near any iconic landmark in your community.

We offer various options for volume, size, color, and weighted base:

Our 2D letters come in Recyprint gold and white, made from recycled plastic bottles and fully recyclable. They are available in heights of 1.4m or 2m. The lightweight, discreet aluminum frame is crafted from recycled material and designed to hold your weighted base.

This year, we're introducing 3D letters with added depth. Covered in Flexiprint—our new flexible, recyclable material made from recycled plastic—these letters feature white front and back faces with gold-colored edges.


Two sizes are available:

1.8m with a depth of 60cm
1.4m with a depth of 40cm
These 3D letters also come with a black lacquered base that serves as a weighted support, offering a turnkey, ready-to-install lettering solution.

All our lettering includes warm white spotlights, so your name will shine at nightfall.



ECO-FRIENDLY MATERIALS



DISCREET BLACK LACQUERED FRAME



SPOTLIGHT

2D LETTER - WHITE

TO ORDER



2D LETTERS BLANC	1.4m		15.5kg		LETTREPMB
2D LETTERS XL-BLANC	2.0m		18.5kg		LETTREGMB

2D LETTER - GOLD

TO ORDER



2D LETTERS OR	1.4m		15.5kg		LETTREPMO
2D LETTERS XL-OR	2.0m		18.5kg		LETTREGMO

3D LETTER WITHOUT BASE PLATE

TO ORDER



3D LETTERS	1.4m	1.5m	0.4m	15kg		LET3DPM
3D LETTERS XL	1.8m	1.9m	0.6m	25kg		LET3DGM

3D LETTER WITH BASE PLATE

TO ORDER



3D LETTERS-BASE	1.4m	1.5m	0.4m	97kg		LET3DPM-P
3D LETTERS XL-BASE	1.8m	1.9m	0.6m	119kg		LET3DGM-P





DRESSING CITY BARRIERS & PLANTERS

2D ground decor

Adorn your urban furniture with colourful environmentally-friendly decorations!

Marine, floral or butterfly theme – customise the decoration of your town barriers or planters.
You can choose the background colour of the decoration as well as the motif which will be applied on top, everything will be tailor-made in Bioprint, our biodegradable, recyclable material.

Customised project, contact us.







TREE CORSET

3D ground decor

Embellish your tree trunks!

Our tree corsets will adorn and light up your trees while protecting them and ensuring optimal hold.
Available in bright or passive versions and in a wide array of colours, there are unlimited combinations to liven up your urban areas or green spaces with style and creativity.

Customised project, contact us.











FUNNY ANIMAL CONTAINERS

Our funny animals join you on your recycling journey!

Educating young people about recycling is a major challenge, and we have met it with creativity and humor.

We have transformed this vital initiative into a fun and joyful collective act with animal-shaped recycling containers. Placed in city centers or along beaches, whales, fish, and turtles house recycling bins.

The collected plastic bottles are retrieved by specialized organizations, from which we source the raw material. This is then fed into our printers to produce structures made from Recyprint, our material crafted from PET (polyethylene terephthalate) sourced from the food industry.




COMPATIBLE LARGE-FORMAT CONTAINER



DOOR INTEGRATED INTO THE DESIGN



COMMUNICATION ON THE PRINCIPLE OF COLLECTION



SIMON	2.1m	1.5m	3.3m	54.5kg	GX110
TO ORDER					

SIMON	2.1m	1.5m	3.3m	54.5kg	GX110-UK
TO ORDER					




BULLE	2.3m	2.1m	3.7m	86kg	GX107
TO ORDER					

BULLE	2.3m	2.1m	3.7m	86kg	GX107-UK
TO ORDER					



GAIA	2.3m	2.1m	4.0m	82kg	GX108
TO ORDER					

GAIA	2.3m	2.1m	4.0m	82kg	GX108-UK
TO ORDER					





RANGE

Garlands and light decorations

CONTENTS

- MULTICOLOURED RGBWW/RGB RANGE 162–167
- LED GARLANDS 168–185
- LED CURTAINS 186–203
- LED STALACTITES 204–213
- CEILINGS AND BRAIDS 214–227
- SUSPENSIONS AND DECORATIONS 228–247
- PROJECTORS 248–253
- CONTROL SYSTEM 254–259
- TECHNICAL PAGES 260–288



LEGENDS

- Height
- Length
- Depth
- Voltage
- Cable colour
- Flash colour
- LED Colour
- New
- Number of runs
- Number of connectable garlands
- Indoor/outdoor use
- Type of cable
- Protection class
- Power cord supplied
- Impact rating
- Exclusive 230V octoplus by blachere© range
- Exclusive 24V octoplus by blachere© range
- Exclusive 12V octoplus by blachere© range

Blachere LEDS


led+

An exclusive 100% Blachere© innovation

Taking a practical approach to innovation, our R&D department has developed the all-new Led+ in fixed and slowflash versions to give your projects a real boost! The result of a collaboration with Nichia®, the world leader in LEDs, we now offer you an exclusive new Led range.
+ bright, + robust, + long life, + uniform colour

The new technical characteristics of Led+ are:

> **Design optimised and registered** to promote the lighting efficacy of our solutions (inverted cone principle).
> **Maximised heat dissipation** for longer LED life.
> **Uniform phosphor deposition** for uniform light output.
> **2-year guarantee**
> **Optimum protection rating: IP66/IP69**
> **230V Octoplus by Blachere IP67 connectors**





LED+ RANGE:
MORE EFFICIENT, LESS ENERGY-CONSUMING

Blachere is committed to tackling environmental and energy issues:
In 2024, we will be lowering the power consumption of our LED+ range in order to reconcile illuminations with energy efficiency

As a result of extensive work on the energy performance of our LEDs, **we have reduced the wattage of our LED+ range by an average of 15%,** while maintaining its brightness and lifespan (the wattage of each producthas been updated in our technical specification tables).

As a result, our products **consume less energy while maintaining the same high light density.**

The different types of Blachere© LEDs.



LED + :
See box on the left



LED Classique :
A robust and stable encapsulated LED with an inverted interior cone.



LED RGBWW/RGB :
A special capsule for better color diffusion.



Micro LED :
A LED delicately placed on a micro cable, creating a fine and refined effect.



LED SMD :
The ultimate electrical component, manufactured by an automatic machine.

GARLAND iLED ColorTech by Blachere®

RGBWW - multicoloured

PVC IP66 12V 12V


RGBWW technology completely reinvented!


Over the last 2 years, we have developed a new RGBWW LED, **the brightest on the market, which can be controlled pixel by pixel** using a combination of software and "open command" animations (DMX compatible).


With incredible luminosity and a range of unique colours, our RGBWW garland opens up a host of possibilities for illuminated decorations (garland configuration or curtain configuration, for trees and facades).

This technology requires a personalised analysis tailored to your project


Ask for an analysis!











RGBWW GARLANDS

◆◆	LED	P (W)	■	□
13.0m		30	FT-ST128	
13.0m		30		FT-ST128B
2 x 6.5m		30	FT-ST64	

Brighter (WW 10 lumen per pixel)

New shape of LED

Up to 6 end-to-end garlands (768 linear pixels) > 490 000 pixels



Free pixel addressing

Open software (DMX compatible), professional and intelligent (multilingual)

Single colours / shades (2300/2500K warm white)

Reinforced (nylon cable)


GARLAND iLED ColorTech by Blachere®

RGBWW - multicoloured




Transform an avenue or a square into a unique, multicolored, and animated spectacle.

By equipping your trees with iLED ColorTech RGBWW, you become the conductor of this show, creating your own animations according to your preferences and schedule (hourly, daily, weekly, or even monthly, for example).






Create a multicolored and animated tent above a square or roundabout. An aerial installation that creates a magical starry sky, fully customizable to your preferences.






Transform your main avenue into a unique gathering place and energize your city center by creating a multicolored light show.

The endless animation possibilities will allow you to create a spectacle (for example, every half hour) and attract a crowd that loves light events!
A great way to boost your local economy during the festive season...






Why not create your own giant light screen on the façade of your town hall?
Each evening, attract a crowd of spectators eager to enjoy the light show, specially designed for the occasion, to complement your Christmas market or city festivities!













MULTICOLOURED RGB CONTROLLABLE GARLAND

colour changing

PVC IP65 5V







description		LED	P (W)		
RGB - 5V	3,75 m	25 RGB	7,5	2	**FL525RGB**

Caméléon set	input voltage	output voltage	no. of pixels	P (W)	no. of outputs	Ref
	230V	5V	10 x 50 = 500	150	10	**PRX10RGB**


PRODUCT DETAILS

Customise the lighting, colour and animation of your trees, on a monthly, weekly or special event basis throughout the year.

For a tree of 8 to 10m:
- 20 FL525RGB strands for 10 radians of 7.50m (2x3.75),
- a PRX10RGB box
- the Cameleon application on your smartphone.


Maximum colour spectrum thanks to RGB LED technology.
Communication via Bluetooth 5 between communications, Wi-Fi communication between phone + sets.






DUO COLORS® GARLAND
flash







FLASH

	LED	FLASH	P (W)		
20m	128	32	11,5	5	**530WWF**

PRODUCT DETAILS


2 products in 1!
Your garland can be either warm white or pure white.

Reverse the connection to obtain pure white/pure white flash or warm white/warm white flash. See DUO COLORS® Decor Collection.



SPARKLIGHT® LED+ GARLANDS
slowflash or static





SLOWFLASH

	LED	SLOWFLASH	P (W)		■	□
20m	108 ○	52	10	5	**FL590F+**	**FL590BF+**
20m	108 ●	52	10	5	**FL590WF+**	**FL590WBF+**
20m	108 ●	52	10	5	**FL590BLF+**	
20m	108 ●	52	10	5	**FL590RF+**	

STATIC

	LED	SLOWFLASH	P (W)		■	□
20m	160 ○	-	10	5	**FL590+**	**FL590-B+**
20m	160 ●	-	10	5	**FL590W+**	**FL590W-B+**
20m	160 ●	-	10	5	**FL590BL+**	
20m	160 ●	-	10	5	**FL590R+**	

ACCESSORIES NEEDED TO OPERATE THESE PRODUCTS

			■	□
1,50 m	230V power supply cable		**FY08+**	**FY08-B+**
0,30 m	bridge rectifier	690W max	**FY043A+**	**FY043A-B+**
0,20 m	bridge rectifier	230W max	**FY041A+**	**FY041A-B+**

PRODUCT INFO

INNOVATION Our optimized LED+

-15% reduction in electrical consumption (on average) +brightness

Blachere exclusive
- Registered design
- High brightness
- Shock resistant IK06
- Long lifespan
- Stable colour
- IP 66/69 protection rating.Maximum rating allowed for a 230V product
- Flexible connectivity thanks to the extensive Octoplus 230V by Blachere range.


2 YEARS GUARANTEE
conditions : contact us




SPARKLIGHT® GARLANDS
flash or static

rubber · IP66 · 230V · incl.







100% FLASH

	LED	FLASH	P (W)		■	□
20m	-	80	6	5	510-FX	

FLASH

	LED	FLASH	P (W)		■	□
20m	190	30	8	5	512-FX	
20m	190	30	8	5	512W-FX	
20m	150	50	12	5	511-FX	511B-FX
20m	150	50	12	5	510W-FX	510BW-FX
20m	150	50	12	5	510B-FX	
20m	150	50	12	5	510R-FX	
20m	150	50	15,5	5	510P-FX	

STATIC

	LED	FLASH	P (W)		■	□
20m	200	-	15	5	508	508-B
20m	200	-	15	5	508W	508W-B
20m	200	-	15	5	508B	
20m	120	-	8	5	512C	
20m	120	-	8	5	512CW	

PRODUCT INFO


Proven reliability.
Power supply with connecting socket included.
Wide range of Octoplus 230V by Blachere accessories available.

High flash concentration on FX models.
Increased waterproofing thanks to optimum protection rating.



SPARKLIGHT® 24V GARLANDS
flash or static





WITH PVC CABLE

PVC · IP66 · 24V · Incl.

FLASH


	LED	FLASH	P (W)		
20m	168	28	5	5	FL502-FX
20m	168	28	5	5	FL502W-FX
20m	168	28	5	5	FL502B-FX
20m	168	28	5	5	FL502R-FX

STATIC

	LED	FLASH	P (W)		
20m	196	-	5	5	501W

WITH RUBBER CABLE (PERMANENT USE)

rubber · IP55 · 24V



STATIC

	LED	FLASH	P (W)		
20m	196	-	6,2	4	501CW
switch-mode power supply 24V dc 25W - sold separately					PRTR24V


PRODUCT INFO


Very low voltage ideal for safe installations within the reach of the public.
High protection rating to withstand dirt and moisture.
Long lengths made possible by connecting several garlands using one transformer.

Ref 501CW: more durable rubber cable, ideal for permanent use.

Wide range of Octoplus 24V by Blachere accessories

TWIGS GARLANDS





FY030M

PRODUCT INFO

Save 40 % on installation time!

Quick and easy tree wiring thanks to the double-output Y connector FY030M.


Operates with 24V transformer 24V FY04BRIN.

3 outputs for twig BRIN180/180W supplied with 3 x 2m extension leads for connecting up to 6 sets of 3 branches on a single power supply.



SET OF 3 TWIGS

◆	LED	P (W)	■
3X1.80m	3X161 ○	3x5	**BRIN180**
3X1.80m	3X161 ○	3x5	**BRIN180W**
24V – 3 output transformer for BRIN180/180W			**FY04BRIN**
double output Y connector			**FY030M**






CHERRYLIGHT® GARLAND
multicoloured









◆	LED	P (W)		■
20.0m	160	4	3	**FL555C**



SPARKLIGHT LED SUPER BRIGHT® GARLAND
flash

rubber | IP66 | 230V | incl.





FLASH

	FLASH	P (W)		■
40m	80	20	2	**560-F**

PLUS PRODUIT

INNOVATION 2024 Our optimized LED+

-15% reduction in electrical consumption (on average) +brightness

Recreate the most beautiful avenue in the world in your town!
A product and animation exclusively developed for the Champs-Élysées is now available to all our clients.

Blachere Illumination, the official supplier of the «Champs-Élysées» Committee.




LEDMOSPHERE GARLANDS
static


rubber · IP66 · 230V · incl.





micro steel wire





STATIC

	LED	P (W)		
10.0m	30	14	10	**600W**
50,0m	150	70	2	**650W**

PRODUCT INFO


Garland packaged in rolls and mounted on a steel wire which will allow an easy installation and a greater resistance.

Compatible with the Octoplus 230V range. Carabiners supplied.



GARLANDS
with B22 sockets

rubber | IP64 | 230V


N NEW CONSTRUCTION 2025

ROLLS OF B22 SOCKET GARLANDS - PLUG NOT INCLUDED

◆▶	description	cable section	B22	B22	B22
100.00m	roll of garland 1 socket/m	2 x 1,5 mm²	■ GR098C	■ GR098CN	
100.00m	roll of garland 2 sockets/m	2 x 1,5 mm²	■ GR099C	■ GR099CN	
100.00m	roll of garland 3 sockets/m	2 x 1,5 mm²	■ GR100C	■ GR100CN	□ GR100C-B
50.00m	roll of garland 4 sockets/m	2 x 1,5 mm²	■ GR112C	■ GR112CN	
50.00m	roll of garland 5 sockets/m	2 x 1,5 mm²	■ GR113C	■ GR113CN	

GARLANDS WITH B22 SOCKETS - PLUG INCLUDED

◆▶	description	cable section	B22	B22
9.00m	garland of 20 sockets	2 x 1,5 mm²	■ GR1C	■ GR1CN
15.00m	garland of 40 sockets	2 x 1,5 mm²	■ GR2C	

PRODUCT INFO

Customise your garland with different bulbs suggested on p185 and make up your own eye-catching effect.

Replace your old incandescent bulbs with LED bulbs, new technology with vintage look but more economical so more ecological.



LDL B22/E27 range (registered design)



LDLH B22 SMD range



LDLFL-B22



F722-L / F732-L

B22/E27 BULBS & STARFLASH®



PRODUCT INFO

The LDL series is a classic of Blachere lighting. A registered model, the particular arrangement of the LEDs in the bulb globe gives a «filament effect» similar to the incandescent bulbs of yesteryear.

The polycarbonate globe guarantees an increased solidity (IK06).

The LDLFL-B22 recreates the effect of a flame, regardless of the mounting direction.

F722-L / F732-L
A historical product that is easy to use on a B22 lampholder.
Produces 1 flash approximately every 3 seconds.



description	B22	E27	B22	B22	B22	
type of globe	polycarbonate	polycarbonate	polycarbonate	polycarbonate	polycarbonate	
ø of globe	45 mm	45 mm	45 mm	36 x 115 mm		
voltage	230V	230V	230V	230V	230V	
intensity	3,68VA	3,68VA	3,68VA		0,5J	2J
wattage	16 mA max/ 0,5W	16 mA max/ 0,5W	16 mA max/ 0,5W	3W	1W	1,3W
packing	set of 25	set of 25	set of 25	unit	unit	unit
pure white	**LDL11-B22**	**LDL11-E27**	**LDLH11**		**F722-L**	**F732-L**
warm white	**LDL11W-B22**	**LDL11W-E27**	**LDLH11W**			
amber	**LDL12-B22**	**LDL12-E27**	**LDLH12**	**LDLFL-B22**		
red	**LDL13-B22**	**LDL13-E27**	**LDLH13**			
blue	**LDL14-B22**	**LDL14-E27**	**LDLH14**			
green	**LDL16-B22**	**LDL16-E27**	**LDLH16**			
pink	**LDL18-B22**	-	**LDLH18**			

Low power consumption bulb - Note : use the appropriate power (16mA i.e 3,68VA) to calculate the rating of your network (cable section area, circuit breaker, power required etc.). Use 0,5W per bulb to calculate the power consumption.
In outdoor use, must be mounted on garland with B22 sockets minimum IPX4 with waterproof seal fitted.




JOYLIGHT® LED+ CURTAINS

slowflash or static

rubber | IP66-69 | 230V | IK06

requires 230V power supply cable L: 1,50m FY08+ type... and bridge rectifier FY043+ type...



SLOWFLASH

↕	↔	LED	SLOW FLASH	P (W)			■	□
1,5m	2m	150 ○	60	13	15	27	**FL74F+**	**FL74BF+**
1,5m	2m	150 ●	60	13	15	27	**LF74WF+**	**FL74WBF+**
3m	2m	240 ○	120	25	15	18	**FL70F+**	**FL70BF+**
3m	2m	240 ●	120	25	15	18	**FL70WF+**	**FL70WBF+**
5m	2m	360 ○	180	60	15	9	**FL75F+**	**FL75BF+**
5m	2m	360 ●	180	60	15	9	**FL75WF+**	**FL75WBF+**
7m	2m	510 ○	240	60	15	9	**FL72F+**	**FL72BF+**
7m	2m	510 ●	240	60	15	9	**FL72WF+**	**FL72WBF+**
10m	2m	690 ○	360	69	15	9	**FL79F+**	**FL79BF+**
10m	2m	690 ●	360	69	15	9	**FL79WF+**	**FL79WBF+**

STATIC

↕	↔	LED	SLOW FLASH	P (W)			■	□
1,5m	2m	210 ○	-	13	15	27	**FL74+**	**FL74-B+**
1,5m	2m	210 ●	-	13	15	27	**FL74W+**	**FL74W-B+**
3m	2m	360 ○	-	25	15	18	**FL70+**	**FL70-B+**
3m	2m	360 ●	-	25	15	18	**FL70W+**	**FL70W-B+**
5m	2m	540 ○	-	60	15	9	**FL75+**	**FL75-B+**
5m	2m	540 ●	-	60	15	9	**FL75W+**	**FL75W-B+**
7m	2m	750 ○	-	60	15	9	**FL72+**	**FL72-B+**
7m	2m	750 ●	-	60	15	9	**FL72W+**	**FL72W-B+**
10m	2m	1050 ○	-	69	15	9	**FL79+**	**FL79-B+**
10m	2m	1050 ●	-	69	15	9	**FL79W+**	**FL79W-B+**

ACCESSORIES NEEDED TO OPERATE THESE PRODUCTS

↔			■	□
1,50 m	230V power supply cable		**FY08+**	**FY08-B+**
0,30 m	bridge rectifier	690W max	**FY043A+**	**FY043A-B+**
0,20 m	bridge rectifier	230W max	**FY041A+**	**FY041A-B+**



PRODUCT INFO

INNOVATION Our optimized LED+

-15% reduction in electrical consumption (on average) +brightness


Blachere exclusive
- Registered design
- High brightness
- Shock resistant IK06
- Long lifespan
- Stable colour
- IP 66/69 protection rating.Maximum rating allowed for a 230V product
- Flexible connectivity thanks to the extensive Octoplus 230V by Blachere range.

2 YEARS GUARANTEE
conditions : contact us



JOYLIGHT LED SUPER BRIGHT® CURTAIN
flash





FLASH

		FLASH	P (W)			
2m	6m	80	20	8	5	**260-F**

PRODUCT INFO

INNOVATION 2024 Our optimized LED+

-15% reduction in consumption (on average)
+brightness

Recreate the most beautiful avenue in the world in your town!
A product and animation exclusively developed for the Champs-Élysées is now available to all our clients.

Blachere Illumination, the official supplier of the «Champs-Élysées» Committee.



JOYLIGHT® CURTAINS
flash or static

rubber · IP66 · 230V · incl.


FLASH

↕	↔	LED	FLASH	P (W)			
0.8m	2.0m	140	28	14	14	30	**21CBFX**
0.8m	2.0m	140	28	14	14	30	**21CWBFX**
1.5m	2.0m	210	30	15	15	25	**24CBFX**
1.5m	2.0m	210	30	15	15	25	**24CBLFX**
1.5m	2.0m	210	30	15	15	25	**24CRFX**
1.5m	2.0m	210	30	15	15	25	**24CWBFX**
3.0m	2.0m	420	56	33	14	16	**20CBFX**
3.0m	2.0m	420	56	33	14	16	**20CBLFX**
3.0m	2.0m	420	56	33	14	16	**20CRFX**
3.0m	2.0m	420	56	33	14	16	**20CWBFX**
5.0m	2.0m	900	90	55	15	12	**25CBFX**
5.0m	2.0m	900	90	55	15	12	**25CBLFX**
5.0m	2.0m	900	90	55	15	12	**25CRFX**
5.0m	2.0m	900	90	55	15	12	**25CWBFX**
7.0m	2.0m	1200	120	80	15	8	**22CBFX**
7.0m	2.0m	1200	120	80	15	8	**22CWBFX**
10.0m	2.0m	1200	135	84	15	8	**29CBFX**
10.0m	2.0m	1200	135	84	15	8	**29CWBFX**

STATIC

↕	↔	LED	FLASH	P (W)			
1.5m	2.0m	342	-	30	18	20	**24C-B**
1.5m	2.0m	342	-	30	18	20	**24CW-B**
3.0m	2.0m	540	-	35	18	15	**20C-B**
3.0m	2.0m	540	-	35	18	15	**20CW-B**
5.0m	2.0m	900	-	65	18	9	**25C-B**
5.0m	2.0m	900	-	65	18	9	**25CW-B**
7.0m	2.0m	1080	-	72	18	9	**22C-B**
7.0m	2.0m	1080	-	72	18	9	**22CW-B**
10.0m	2.0m	1350	-	58	18	10	**29C-B**
10.0m	2.0m	1350	-	58	18	10	**29CW-B**





PRODUCT INFO

Ideal for decorating facades, trees or for cross-street motifs.

Up to 30 curtains on the same power supply.

Compatible with the entire range.


Connection options with the Octoplus 230V by Blachere® accessories.



ECO LIGHT CURTAINS
flash or static

rubber | IP65 | 230V | incl.





FLASH

N

		LED	FLASH	P (W)			
1.5m	2.0m	180	30	15	15	20	**ECOX24W-F**
3.0m	2.0m	315	45	20	15	15	**ECOX20W-F**
5.0m	2.0m	512	64	30	16	12	**ECOX25W-F**

STATIC

		LED	FLASH	P (W)			
3.0m	2.0m	360	-	20	15	15	**ECOX20-B**
3.0m	2.0m	360	-	20	15	15	**ECOX20W-B**
7.0m	2.0m	750	-	50	15	7	**ECOX22-B**
7.0m	2.0m	750	-	50	15	7	**ECOX22W-B**
1.5m	2.0m	210	-	15	15	20	**ECOX24-B**
1.5m	2.0m	210	-	15	15	20	**ECOX24W-B**
5.0m	2.0m	576	-	30	16	12	**ECOX25-B**
5.0m	2.0m	576	-	30	16	12	**ECOX25W-B**
10.0m	2.0m	1050	-	55	15	6	**ECOX29-B**
10.0m	2.0m	1050	-	55	15	6	**ECOX29W-B**

PRODUCT INFO

Unbeatable value for money with proven reliability.


An extensive selection of accessories and connection options with Octoplus® 230V by Blachere® accessories.



JOYLIGHT® 24V CURTAINS
flash

PVC | IP55 | IP24 | incl.





FLASH

		LED	FLASH	P (W)			
3.0m	2.0m	300	60	12.5	15	2	**FL203-FX**
3.0m	2.0m	300	60	12.5	15	2	**FL203B-FX**
3.0m	2.0m	300	60	12.5	15	2	**FL203P-FX**
3.0m	2.0m	300	60	12.5	15	2	**FL203R-FX**
3.0m	2.0m	300	60	12.5	15	2	**FL203W-FX**

PRODUCT INFO

Unbeatable value for money with proven reliability.


An extensive selection of accessories and connection options with Octoplus® 230V by Blachere® accessories.



JOYLIGHT® CURTAINS
slowglow effect

rubber | IP66 | 230V | incl.





SLOWGLOW

↕	↔	SLOWGLOW	P (W)			
1.5m	2.0m	120	16	15	13	**24SG**
1.5m	2.0m	120	16	15	13	**24WSG**
3.0m	2.0m	180	15	15	12	**20SG**
3.0m	2.0m	180	15	15	12	**20WSG**
5.0m	2.0m	210	17	15	12	**25SG**
5.0m	2.0m	210	17	15	12	**25WSG**
7.0m	2.0m	225	17	15	12	**22SG**
7.0m	2.0m	225	17	15	12	**22WSG**
10.0m	2.0m	270	15	15	13	**29SG**
10.0m	2.0m	270	15	15	13	**29WSG**

PRODUCT INFO

New animation exclusive to Blachere Illumination.
Gentle lighting snowflake effect.

Compatible with the entire range.
Connection options with 230V Octoplus® accessories by Blachere®










EXCLUSIVE CONCEPT «SOBRILLANCE» CURTAINS

Champs-Elysées










260-F



FL75W-B+, FL75W+ , FL72W-B+,
FL72W+, FL79W-B+, FL79W+

FLASH JOYLIGHT LED SUPER BRIGHT© CURTAIN

		FLASH	P (W)			■	
2m	6m	80	20	8	5	260-F	

STATIC LED+ CURTAINS

		LED	P (W)			■	□
2m	5m	540	60	15	9	FL75W+	FL75W-B+
2m	7m	750	60	15	9	FL72W+	FL72W-B+
2m	10m	1050	69	15	9	FL79W+	FL79W-B+

ACCESSORIES NEEDED TO OPERATE THESE PRODUCTS

			■	□
1,50 m	power supply cable		FY08+	FY08-B+
0,30 m	bridge rectifier	690W max	FY043A+	FY043A-B+
0,20 m	bridge rectifier	230W max	FY041A+	FY041A-B+

PRODUCT INFO

INNOVATION Our optimized LED+

-15% reduction in electrical consumption (on average) +brightness

Sobrillance is the combination of a static warm white curtain and a Super Bright flash curtain.


Vary the sequences with our remote controlled/ programmable clock and create a living light show in your street!
On special request.



CHAMPS ÉLYSÉES «SCINTILLANCE» CURTAIN

with vertical animation





FLASH

		LED	FLASH	P (W)			
7.0m	2.0m	420	80	55	10	-	**ECOX216W**

PRODUCT INFO

Recreate the most beautiful avenue in the world wherever you are !

Product and animation developed exclusively for the Champs Elysées now available for all our customers.


Blachere illumination official supplier of the « Champs Elysées » Committee.

A PRO version that exactly reproduces the effect on the Champs Elysées and an ECO version with a simplified effect.

CHERRYLIGTH® CURTAINS
multicoloured

rubber IP66 230V incl.







PRODUCT INFO

This curtain with opaque globes diffuses a uniform light in vibrant colours that changes randomly and automatically.

STATIC


◆	◆	LED	P (W)		■
1.5m	2.0m	180	15	15	**FL224C**
3.0m	2.0m	300	25	10	**FL220C**



HONEYCOMB LIGHT® TREE NET
flash

rubber IP66 230V incl.





PRODUCT INFO

This net makes easy the decoration of tree trunks... with light. Thanks to its honeycomb mesh, it is placed around the trunk and adjusted to the diameter.
Ergonomic and practical, it will take you on average 10 times less time to dress your tree trunks than with a traditional garland!
The colour of the cable (brown) allows it to be less visible during the day and is exclusive to Blachere Illumination.

◆	◆	LED	SLOWFLASH	P (W)		■
2.0m	2.0m	204	52	11	7	**802W-F**
3.0m	2.0m	306	78	16	5	**803W-F**
4.0m	2.0m	-	592	23	5	**804WSF**


N






STALACTITLIGHT DUO COLORS®
flash







FLASH

		LED	SLOWFLASH	P (W)			
1.0m	4.5m	180	60	15	36	15	**330BWWF**

PRODUCT INFO

2 products in 1!
Your garland can be either warm white or pure white. Reverse the connection to obtain pure white/pure white flash or warm white/warm white flash. See DUO COLORS® Decor Collection.




STALACTITLIGHT® LED+

slowflash or static

rubber | IP66-69 | 230V | IK06





SLOWFLASH

		LED	SLOWFLASH	P (W)			
0.8m	4.5m	120	60	13	48	20	**FL390BF+**
0.8m	4.5m	120	60	13	48	20	**FL390WBF+**

STATIC

		LED	SLOWFLASH	P (W)			
0.8m	4.5m	180	-	13	48	20	**FL390-B+**
0.8m	4.5m	180	-	13	48	20	**FL390W-B+**

ACCESSORIES NEEDED TO OPERATE THESE PRODUCTS

				■
1,50 m	power supply cable		**FY08-B+**	**FY08+**
0,30 m	bridge rectifier	690W max	**FY043A-B+**	**FY043A+**
0,20 m	bridge rectifier	230W max	**FY041A-B+**	**FY041A+**

PRODUCT INFO

INNOVATION Our optimized LED+


-15% reduction in consumption (on average) +brightness

Blachere exclusive
- Registered design
- High brightness
- Shock resistant IK06
- Long lifespan
- Stable colour
- IP 66/69 protection rating.Maximum rating allowed for a 230V product
- Flexible connectivity thanks to the extensive Octoplus 230V by Blachere range.


2 YEARS GUARANTEE
conditions : contact us

STALACTITLIGHT®
flash or static





352-FX / 352W-FX / 352R-FX / 352B-FX / 354-FX
354W-FX / 352 / 352W / 354 / 354W



353C / 353CW

FLASH

		LED	FLASH	P (W)			
0.6m	4.5m	156	48	10	48	15	**352-FX**
0.6m	4.5m	156	48	10	48	15	**352W-FX**
0.6m	4.5m	156	48	10	48	15	**352B-FX**
0.6m	4.5m	156	48	10	48	15	**352R-FX**
1.0m	4.5m	180	60	10	36	15	**354-FX**
1.0m	4.5m	180	60	10	36	15	**354W-FX**

STATIC

		LED	FLASH	P (W)			
0.6m	4.5m	180	-	10	48	15	**352**
0.6m	4.5m	180	-	10	48	15	**352W**
1.0m	4.5m	240	-	12	36	15	**354**
1.0m	4.5m	240	-	12	36	15	**354W**
1.5m	4.5m	320	-	16	32	15	**353C**
1.5m	4.5m	320	-	16	32	15	**353CW**

PRODUCT INFO

An absolute must since its creation, this product is a best-seller owing to its reliability.
Can be divided into sections for greater adaptability.

Compatible with the entire range.
Connection options with 230V
Octoplus® accessories by Blachere®.




ECO STALACTITES
flash

N

rubber | IP65 | 230V | incl.





FLASH

		LED	FLASH	P (W)			
0.8m	4.5m	90	30	9	30	15	**ECOX350F**
0.8m	4.5m	90	30	9	30	15	**ECOX350WF**

PRODUCT INFO

Unbeatable value for money and proven reliability.


A wide choice of accessories and connection options with Octoplus® by Blachere® accessories.



FIR GARLAND STALACTITES
flash

rubber | IP66 | 230V | incl.





		LED	FLASH	P (W)			
0.6m	4.5m	156	48	13	48	15	**GP138L**
0.6m	4.5m	156	48	13	48	15	**GP139L-W**

PRODUCT INFO

A classic choice for traditional street decorations.

Quick connection accessories, extension leads, multi-socket connectors, 230V Octoplus by Blachere®.




CEILINGS
flash or static

PVC · IP55 · 24V · incl.





micro steel wire



FLASH

		LED	FLASH	P (W)			■
30.0m	2.0m	588	98	30	7	3	**414-FX**
30.0m	2.0m	588	98	30	7	3	**414W-FX**

STATIC

		LED	FLASH	P (W)			■
30.0m	2.0m	686	-	30	7	3	**414**
30.0m	2.0m	686	-	30	7	3	**414W**

PRODUCT INFO


Cover up to 180m² with a single power supply at a lower cost.
The 24V/100W transformer for outdoor use, included with the 414-FX and 414W-FX garlands, allows three modules to be connected to a single transformer.
Each string is reinforced with a micro-steel wire for greater durability.





DUO COLORS® BRAIDS
flash


rubber | IP65 | 230V | incl.



pure white → warm white



micro steel wire



FLASH

Ø	◆◆	LED	FLASH	P (W)		
12.0m	7.5m	192	48	12	10	TSL4WWF

PRODUCT INFO


2 products in 1!
Your garland can be either warm white or pure white. Reverse the connection to obtain pure white/pure white flash or warm white/warm white flash. See DUO COLORS® Decor Collection.

LED+ BRAIDS
slowflash





micro steel wire



SLOWFLASH

ø	◆▶	LED	SLOWFLASH	P (W)		
6.0m	60.0m	648	312	60	2	**TSL60+**
6.0m	60.0m	648	312	60	2	**TSL60W+**

PRODUCT INFO

«Ready-to-install» crossing with high light density.
Mounted on a coated ø3mm steel cable.
Features quick connection accessories, multi-socket connectors, and an animation kit.




BRAIDS
flash or static

rubber · IP66 · 230V · incl.



micro steel wire



FLASH

ø	◆	LED	FLASH	P (W)		
12.0m	7.5m	210	30	13	13	**TSL3FX**
12.0m	7.5m	210	30	13	13	**TSL3WFX**

STATIC

ø	◆	LED	FLASH	P (W)		
6.0m	7.5m	240	-	13	13	**TSL2**
6.0m	7.5m	240	-	13	13	**TSL2W**

PRODUCT INFO

«Ready-to-install» crossing with high light density.
Mounted on a coated ø3mm steel cable.
Features quick connection accessories, multi-socket connectors, and an animation kit.




ECO BRAIDS
flash

rubber | IP65 | 230V | incl.





micro steel wire



FLASH

	LED	FLASH	P (W)		
7.5m	160	20	10	15	**ECOXSL3F**
7.5m	160	20	10	15	**ECOXSL3WF**

PRODUCT INFO

Unbeatable value for money and proven reliability.


A wide choice of accessories and connection options with Octoplus® by Blachere® accessories.



NICIA® BRAIDS
flash

rubber IP65 230V incl.





FLASH

⌀	◆◆	LED	FLASH	P (W)		
6.0m	6.0m	432	48	23	9	**558-FX**
6.0m	6.0m	432	48	23	9	**558W-FX**

PRODUCT INFO

Unbeatable value for money and proven reliability.


A wide choice of accessories and connection options with Octoplus® by Blachere® accessories.



TSLWW-W + ITGL111

TWO-TONE BRAIDS
dropdown





DROPDOWN

Ø		LED	FLASH	P (W)		
12cm	6.0m	240	-	55	-	**TSLBL-W**
12cm	6.0m	240	-	55	-	**TSLWW-W**

PRODUCT INFO

Discover our two-tone blue/white or warm white/pure white garlands, ideal for elegant decorations. Equipped with scrolling light effects and connectable to hanging lights, they create a magical, sophisticated atmosphere for all your festive occasions.

SWAG GARLANDS
pre-lit







PRODUCT INFO


A timeless classic for traditional street decorations.
Quick connection accessories, extensions, multi-socket connectors, and Octoplus 230V by Blachere®.


SWAG GARLAND PER UNIT

Ø	◆◆	LED	P (W)		■
35cm	3.0m	400	30	6	**GP303W**
35cm	4.0m	500	38	4	**GP304W**



FIR GARLANDS
pre-lit





PRODUCT INFO

Great classic for traditional street decorations.

Quick-fit accessories, extension leads, multi-socket connectors Octoplus® 230V by Blachere®.

FLASHS

Ø	◆◆	LED	FLASH	P (W)		■
30cm	2.7m	180	60	11	10	**GP134LWFX**


STATIC

Ø	◆◆	LED	P (W)		■
30cm	2.7m	240	11	10	**GP134L-W**




HANGING BOUQUETS
static


24V





drawing of installation:





Installation sample

INDOOR

IP20

Ø	◆▶	LED	FLASH	P (W)	
80cm	-	441	63	18	**FCL080A**
80cm	-	441	63	18	**FCL080G**
Indoor transformer for FCL bouquet - sold separetly				25	**PRTR24VI**

OUTDOOR

IP55

Ø	◆▶	LED	FLASH	P (W)	
80cm	-	441	63	18	**FCL080A-E**
80cm	-	441	63	18	**FCL080G-E**
Outdoor transformer for FCL bouquet - sold separetly				25	**PRTR24V**

PRODUCT INFO


The hanging bouquets animated with flash with a gold or silver decoration, good daytime effect.

Working with a PRTR24VI or PRTR24V transformer - sold separately.
Compatible with 24V Octoplus extension leads.

HANGING MOTIFS
X-Led effect









PRODUCT INFO

Ideal for embellishing your trees or hanging from strand lights.
Enjoy exclusive Xled animations! Set includes 5 decorations.

Remember to attach the mini decorations with the suspension cables supplied.

SET OF 5 DECORATIONS


Ø	◆	▲	LED SMD	P (W)	■
25cm	1.2m	3.0m	270	25	**FXL920E**
23cm x 20cm	1.2m	3.0m	270	25	**FXL920S**




HANGING SPARKLING STARS
animated







Refs : FL900xx



Refs : G-FL900xx

PRODUCT INFO

Discover the two-tone warm white/cool white glow: 2 effects in 1, exclusive to Blachere!
A best-seller with a patented design, this product provides smooth animation and an elegant daytime effect thanks to the white polycarbonate. Easy to install on trees or ropes with the hooks included.
Available individually or in packs of 10.

SET OF 10 STARS



Ø	◆	▲	LED	P (W)	■
25cm	2.0m	3.0m	10	18	**FL900E**
25cm	2.0m	3.0m	10	18	**FL900EW**
25cm	2.0m	3.0m	10	18	**FL900EWW**
25cm	2.0m	3.0m	10	18	**FL900EM**

INDIVIDUAL STAR

Ø	◆	▲	LED	P (W)	□
25cm	-	-	1	3	**G-FL900**
25cm	-	-	1	3	**G-FL900WW**
230V -> 24V transformer with Octoplus connector					**FYPRTR9B**


HANGING BALLS
flame effect


PVC · IP55 · 24V · incl.





60 cm suspension and securing cable





PRODUCT INFO

Perfect for decorating trees or hanging from strand lights. Recreate the warm atmosphere of candlelight with a unique sparkling animation.

Add a fashionable retro touch to your decorations!
Available in packs of 5 GLOBES or individually.

SET OF 5 SPHERES

Ø	◆	◆	LED	P (W)	■
20cm	1.2m	3.0m	5	18	**FL920LU**

INDIVIDUAL SPHERE


Ø	◆	◆	LED	P (W)	■
20cm	-	-	1	3	**G-FL920LU**
230V -> 24V transformer with Octoplus connector					**FYPRTR9**





HANGING BALLS
multicoloured RGB


PVC · IP55 · 24V · incl.








60 cm suspension and securing cable





PRODUCT INFO

Perfect for decorating trees or hanging from ropes.
Create a colourful pop atmosphere RGB animation, a unique effect!

Available in packs of 5 GLOBES or individually.

SET OF 5 SPHERES

Ø	◆	◆	LED	P (W)	■
20cm	1.2m	3.0m	5	24	**FL920M**

INDIVIDUAL SPHERE

Ø	◆	◆	LED	P (W)	■
20cm	-	0.5m	1	4.5	**G-FL920M**
230V -> 24V transformer with Octoplus connector					**FYPRTR9**




NOSTALGIA XL HANGING BULBS
flash


PVC IP66 24V incl.





60 cm suspension and securing cable





SET OF 4 BULBS

Ø	◆▶	▲▼	LED	FLASH	P (W)	■
28cm	2.0m	2.0m	400	200	18	**FL930BB**

INDIVIDUAL BULB

Ø	◆▶	▲▼	LED	FLASH	P (W)	■
28cm	-	0.5m	100	50	4	**G-FL930BB**
230V -> 24V transformer with Octoplus connector						**FYPRTR9**

PRODUCT INFO


Perfect for enhancing your trees or hanging on cables, these oversized bulbs offer a captivating sparkle. Add a trendy retro touch to your decorations!

Available in a set of 4 bulbs with a transformer included, or individually.

Equipped with a stainless aluminum base for optimal durability.

HANGING SPHERES
micro led and flashs





PRODUCT INFO

Set of 4 decorative light balls, perfect for illuminating your trees and creating a magical atmosphere. Easy to install, they give off a soft glow for your festive celebrations or seasonal decorations.

SET OF 4 SPHERES


ø	◆	◆	LED	FLASH	P (W)	■
30cm	2.0m	2.0m	400	200	18	**FL930A**





HANGING BRANCHES
micro led





PRODUCT INFO


Super easy installation. It will ideally decorate lamp posts and facades.

Accessories sold separately.

◆	LED	P (W)			□
1.2m	288	6	24	4	**BRIN288**
1.2m	288	6	24	4	**BRIN288W**
extension cable 2m					**FY04W-PVC**


XLED HANGING STEMS
Double drop double-sided

PVC | IP55 | 9,5V | incl. | 24V





Suspension attachment and securing required during installation



PRODUCT INFO

A smooth double-drop animation, exclusive to Blachere, a registered design that is one of the reasons behind the brand's success, notably with the Champs-Élysées project. Double-sided rods for 360-degree luminosity. Can be used for a wide range of applications, including facades, street crossings and tree decorations.
Multi-output accessory FY04FXL : 20 stems on a single power supply !

↕	↔	LED	P (W)			■
0.5m	2.7m	320	12	5	2	**FXL055**
0.8m	2.7m	480	17	5	2	**FXL085**

X-LED STEM FOR B22/230V SOCKET FY03B22 ACCESSORIES


↕	LED	P (W)	■
0.8m	96	2	**FXL08-B22**
Multi ends power supply			**FY04FXL**






HANGING STEMS
flashs

rubber | IP66 | 230V | incl.







PRODUCT INFO

Very light products for hanging on all types of branches.


Pack of 6 drop decorations.

↕	↔	LED	FLASH	P (W)			■
1.2m	1.2m	480	120	50	6	3	**950-FX**
1.2m	1.2m	480	120	50	6	3	**950W-FX**



HANGING LIGHTS
foldable - 230V

rubber · IP66 · 230V



G-STAR G-SPHERE


Led Classic compatible with Octoplus 230V range
requires 230V power supply cable L: 1,50m FY08+ type... and bridge rectifier FY043+ type...

Ø	⬍	LED	FLASH	P (W)	□
0.6m	0.6m	70	6	4	**G-SPHERE**
0.6m	0.6m	41	4	4	**G-STAR**

HANGING LIGHTS
foldable - 24V

PVC · IP66 · 24V





G-MONT+

Micro light + PRO compatible with Octoplus 24V range

Ø	⬍	LED	P (W)	□
0.6m	0.6m	136	12	**G-MONT+**
0.6m	0.6m	136	12	**G-MONTW+**
0.6m	0.6m	144	12	**G-SPHER+**
0.6m	0.6m	144	12	**G-SPHERW+**
0.6m	0.6m	88	10	**G-STAR+**
0.6m	0.6m	88	10	**G-STARW+**

compatible with PRTR24V or OCTOPLUS 24V accessories

PRODUCT INFO


These foldable suspensions are aesthetic by day thanks to the white lacquering of the metal structures (available in Led Classic or Micro light + PRO). Power supply sold separately.

Compatible with the entire range.

HANGING BALLS
inflatable



Using a conventional inflation gun



Suspension sling and securing with carabiner

PRODUCT INFO

Passive decorative balls, ideal for decorating ceilings or trees by day or night.

Inflates on site with a simple compressor. Set of 4 balls, for outdoor use.

ø	colour	ref (set of 4)
0.5m		**BG50-1**
0.5m		**BG50-2**
0.5m		**BG50-3**
0.5m		**BG50-4**





GOBO PROJECTORS





PRODUCT INFO

Rotating projector.
Multiple pattern options.
Manual control available or via DMX.

Contact us for more information.


Note: Technical specifications and the type of gobo projector are subject to change depending on the manufacturer.

BUNCH LIGHT® BOUQUETS
with RGBWW LEDs

PVC IP66 26V










KBRGBWW



Our new Bunch Light® RGBWW Bouquets can be placed on the floor to create animated, multi-coloured lighting surfaces.

They can be custom-controlled to create an overall lighting design. Each bead can be controlled like a pixel to create a multicoloured field of light. The rods are flexible and move with the wind, creating an animated and truly magical display.

This product is sold in packs of 6 bouquets, each made up of 8 RGBWW beads.

If your project requires a customised analysis, please contact your account manager.

LED PROJECTORS
Round






PRODUCT INFO

Light up the trunks or branches of your trees with our round micro spotlights!
Mini size but super powerful!

Bright, elegant and easy to install. Totally safe for the public (24V) and the trees (elastic ties). protective foam).

ROUND SPOTLIGHTS FOR TREES (SET OF 2)

dim.	LED	tension	P (W)	ref
180 x 55 x 24 mm	2x6	24V	2 x 6W	**PRJA**
180 x 55 x 24 mm	2x6	24V	2X6W	**PRJA-W**
black switch-mode power supply 24V dc 25W (for a set of 2)				**PRTR24N**
elastic strap for PRJA-W and PRJA projectors				**FYSDOW**
protective and adhesive foam (set of 10)				**FY-MOUS**



LED PROJECTOR
Decorative



PRODUCT INFO

Decorative spotlight, ideal for creating a soft, warm atmosphere.

LED DECORATIVE SPOTLIGHT - UNIT - IP65 - CLASS 1

LED	tension	P (W)	ref
	230V	6	PRJP-03W+




PROJECTORS AND WALL-WASHES LED
RGBW-DMX

IP65 incl.



PRJR4-DMX





HLPRJPDMX



PRJP5-DMX

RGBW WALL-WASHES N

◆▶	LED	angle	tension	weight	P (W)	reference
1 m	16 RGBW	39°	110-240V	6,2kg	75	**PRJR4-DMX**
6 m	DMX extension lead					**FY5P-DMX**
6 m	DMX signal extension lead					**FY5S-DMX**

RGBW PROJECTORS N

Dimensions	LED	angle	tension	weight	P (W)	reference
21 cm x 12 cm x 15 cm	6 led x 5W RGBW DMX avec mode manuel	40°	230V	2,7kg	35	**HLPRJDMX**
21 cm x 33 cm x 17 xm	15 RGBW	40°	230V	5,2kg	115	**PRJP5-DMX**

Option: controllable with infrared remote control (distance 3 to 4 m max). Simple functions.

PRODUCT INFO

Range of RGB strip lights.
Perfect for facades or monument illuminations.

Use of the SMD RGB led for a better lighting result.



FILS LUMIÈRE®
static


rubber | 230V | incl.



FIL LUMIERE® PLATINIUM & ECO
30 Led/m

320° inverted cone LED with vertical positioning

FIL LUMIERE® DUO COLORS
30 Led/m





FIL LUMIERE® NEON
144 Leds SMD/m

N

	Fil Lumière® eco	Fil Lumière® Platinium	Fil Lumière®Néon	Fil Lumière DUO COLORS®
Led density/m	30	30	144 SMD	30
P (W) /m	3,5	4	7	3,5
Roll of	90,00m	50,00m	25,00m	25,00m
ø	12mm	12mm	15mm	13mm
IP	IP55	IP66-69	IP66	IP66
□	■	■	■	□
○	NL5011	NLEDU51	NLEDN01	
○	NL5011W	NLEDU51W	NLEDN01W	
●	NL5012	NLEDU52		
●	NL5014	NLEDU54		
●	NL5016	NLEDU56		
●	NL5013	NLEDU53		
◐				NLEDWW

PRODUCT INFO

Platinium fil lumière® (strand lights):

Ideal for showcasing facades. Comes with 3 special LED power supplies, 3 end caps and 3 connectors.
Strictly for professional use, not for retail sale in shops.

DUO COLORS® strand light:
2 products in 1!

Your strand lights can be either warm white or pure white. Reverse the connection to get pure white or warm white.



TECHNICAL
pages

OUR STEERING SOLUTIONS

It's time to step up the smart city movement to save more energy.

Eco-designed equipment that is sustainable and smart energy management are part of any global eco-friendly urban policy. Blachere Illumination is committed to working alongside cities and developing innovative solutions to protect our planet and our future.

With our lighting management systems, you can remotely manage lighting with a single click.
Whether it's with **our range of timer boxes or our MASTER+SAVER global control system on the next page.**
This makes it easier for the city to manage its electricity resources in line with its ecological and sustainable development aspirations.




ON/OFF BOX
WITH REMOTE CONTROL

When you fit your set with this remote control switch, you can install and connect your set to the public lighting system in advance and switch it on manually with the remote control on the day of the lighting show, without having to interact with the box installed on lighting set.

Box ref: TERUP
Remote control ref: TERUP-C (can control multiple TERUP boxes)

- SIMPLE **ON/OFF** CONTROL
- WORK **VIA REMOTE CONTROL**




TEMPO 2 BOX
UNIVERSAL & 7-HR PROGRAMMABLE

When you fit your set with the TEMPO2 box, you can disconnect it from the public lighting network. Sets are switched off automatically after 7 hours, from the moment the street lighting switched on.
By connecting a TERUP ON/OFF box upstream of this box, you can trigger the timer using the remote control.
Compatible with Octoplus **and/or any other decor.**

Box ref: **TEMPO2**

- AUTOMATIC **7-HOUR** TIME DELAY
- CONTROL IS **ON THE BOX**




TEMPO+ BOX
PROGRAMMABLE FROM 5 TO 10 HRS

When you fit your set with the TEMPO+ box, you can disconnect it from the public lighting network and can adjust the lighting times you want and programme the lights to go out. A long press means you can select 5, 6, 7, 8, 9 or 10 hours of illumination followed by automatic switch-off. By connecting a TERUP ON/OFF box upstream of this box, you can trigger the timer with the remote control. Octoplus compatible.

Box ref: **TEMPO+**

- TIME DELAY SELECTABLE **BETWEEN 5 AND 10 HOURS**
- CONTROL IS **ON THE BOX**



MASTER+SAVER SYSTEM


Fit your light displays with SAVER boxes.
One of lighting sets will be «group leader» and will be equipped with a MASTER box. The MASTER box can be programmed with the switch-on times/days and will communicate the same information to all the SAVERS via Bluetooth.


The distance between SAVER and MASTER must not exceed 50m.
If two sets are more than 50m apart, you will need to make a new group with a new MASTER box. You also need to be close to the MASTER, with your phone in your hand and the application open, to be able to control your sets.

Lighting sets can be pre-programmed in our workshops or programmed by the customer themselves using the dedicated mobile application.

- SUPER EASY CONTROL VIA **MOBILE** APPLICATION
- CREATION OF **SET GROUPS**
- PROGRAMMING OF **SWITCH-ON DAYS AND TIMES**
- MANAGEMENT OF **SWITCH-OFF TIMES FOR ENERGY SAVINGS**
- **SECURE** W - **DATA PROTECTION**









OCTOPLUS BY BLACHERE®

Exclusive



Octoplus by Blachere® 230V connector, protection rating **IP67**, according the European standard EN60529 on the degree of protection provided by enclosures.



Safety extra-low voltage connector 12/24V



Special connector RGBWW 12V


Octoplus is the connector that enables fast and multiple connection between our decorations and most of our range of garlands.
Each item that is marked "Octoplus" can therefore be connected to another "Octoplus" item.
This means the combination of items is infinite just by simplifying the electrical connections.



EXAMPLE FOR A TRANSVERSE MOTIF

Ref.	Quantity	Page
FY08-B+	1	263
FY043A-B+	1	263
FY01-3B+	1	263
FL390WBF+	1	207
FCL080G-E	2	231
FYPRTR9B	2	265
FYT-B+	2	263

To install on steel wire with PVC sheath







EXAMPLE FOR A WIDTH OF 4,50M


Ref.	Quantity	Page
FY08-B+	1	263
FY043A-B+	1	263
FY01-2B+	1	263
354W	1	209
FYT-B+	2	263
FYPRTR9	2	265
G-FL900	2	233

To install on steel wire with PVC sheath






EXAMPLE FOR A TREE



Ref.	Quantity	Page
FY08-B+	1	263
FY043A-B+	1	263
FY01-3+	2	263
BTX8	1	263
508R-FX	10	173
FY030+	4	263
FYPRTR9	1	265
G-FL900	1	233
FY03B22	1	264
FXL08-B22	1	240
F722-L	1	185

OCOTPLUS CONNEXIONS 230V - (1/2)

230V

Diagram/Picture	Description	Obs	■	□
	Power cable 230V - 1.5m - HO5RN-F - 2x1mm2 with male plug and female Octoplus connector	Euro	**FY08+**	**FY08-B+**
		UK	**FY08-UK+**	**FY08-BUK+**
		Swiss	**FY08-S+**	**FY08-BS+**
		Wieland	**FY08-W**	**FY08-BW**
	AC/DC bridge rectifier (compulsory) for LED+ with Octoplus connector (M+F)	1A/230W	**FY041A+**	**FY041A-B+**
		3A/690W	**FY043A+**	**FY043A-B+**
	Octoplus extension 230V - HO5RN-F - 2x1mm2	1m	**FY01-1+**	**FY01-1B+**
		2m	**FY01-2+**	**FY01-2B+**
		3m	**FY01-3+**	**FY01-3B+**
		5m	**FY01-5+**	**FY01-5B+**
		10m (2X5m)	**FY01-10+**	**FY01-10B+**
	Set of 5 end-caps plugs		**FY1C+**	**FY1CB+**
	T connector 230V (M+F/F)		**FYT+**	**FYT-B+**
	Y connector 230V (M+F/F)		**FY030+**	**FY030-B+**
	W connector 230V (M+F/F/F)		**FY031+**	**FY031-B+**
	Collector - 230V - HO5RN-F L = 2 x 1.60m = 3.20m 20cm between connectors with 16 sockets and steel wire with PVC-coating 690 W max in total		**FY023+**	**FY023-B+**

OCTOPLUS CONNEXIONS 230V - (2/2)

230V

Diagram/Picture	Description	Obs.	■	□
	IP66 multi-socket box with 4 Octoplus (F) outputs and one Octoplus (M) input	690 W max	**BTX4**	-
	IP66 multi-socket box with 8 Octoplus (F) outputs and one Octoplus (M) input	690 W max	**BTX8**	-
	230V adaptor Sparklight and Stalactites (connector 2017 -> connector 2018)	-	**FY230F2**	**FY230F2-B**
	230V adaptor Sparklight and Stalactites (connector 2018 -> connector 2017)	-	**FY230M1**	**FY230M1-B**
	B22 bushing with M/F Octoplus connector	5W max	**FY03B22**	**FY03B22-B**
	Elasticated "SPECIAL TREE" connector to let the tree grow without any restrictions	lot de 5	**FY07A**	.
	20cl tube of silicone sealant for full sealing of connectors (extreme environment)	-	**NLC60**	-
	Protective and adhesive foam	-	**FY-MOUS**	-


OCTOPLUS CONNEXIONS 24V

24V

Diagram/Picture	Description	Obs.	■	□
	1m extension PVC cord 24V Connectors M-C1/F-C2		**FY01-PVC**	**FY01B-PVC**
	2m extension PVC cord 24V Connectors M-C1/F-C2		**FY02-PVC**	**FY02B-PVC**
	5m extension PVC cord 24V Connectors M-C1/F-C2		**FY05-PVC**	**FY05B-PVC**
	2 output connector PVC 24V Connectors M-C1/F-C2		**FY2-PVC**	**FY2B-PVC**
	3 output connector PVC 24V Connectors M-C1/F-C2		**FY3-PVC**	**FY3B-PVC**
	230V -> 24V transformer with Octoplus connector	10W max	**FYPRTR9**	**FYPRTR9B**
	Transformer 230V / 24V with Octoplus connectors	100W		**PRTR100W**
	collector 24V - PVC L: 80cm - 4 sockets spacing 20cm		**FY024**	**FY024-B**

OCTOPLUS TECH CONNEXIONS 12V

12V

Diagram/Picture	Description	Obs.	■	□
	T connector Octoplus Tech	-	**FT-T1**	**FT-T1B**
	Octoplus Tech extension - 50 cm	-	**FT-R05**	**FT-R05B**
	Octoplus Tech extension - 1 m	-	**FT-R1**	**FT-R1B**
	Octoplus Tech extension - 2 m	-	**FT-R2**	**FT-R2B**
	3 outputs Octoplus Tech collector	-	**FT-C3**	**FT-C3B**
	12V/100W transformer	-	**FT-TR100**	.
	12V/200W transformer	-	**FT-TR200**	-
	End-caps plug Octoplus Tech	lot de 5	**FT-B**	**FT-BB**

FIL LUMIÈRE® ACCESSORIES

Electrical accessories for LED Platinium fil lumière® ø 12mm




NLC95-12 Fil lumière® Led power cord kit


The kit includes : 1 rubber power lead of 1m with plug and polarized connector + integrated AC/DC bridge rectifier, 1 power lead spin, 1 full spin, 1 pot of glue and 1 end cap.



NLC51L-12 Glueable L connector



NLC92-12 Standardized glueable central "spins"




NLC54-12 Glueable insulation end cap

Fixing accessories for Led fil lumière®



X 100

NLC56



NLC59



NLC61 - Pot of glue PVC 250ml

Repair kit for Led Platinium fil lumière® - 230V - IP55 - ø 12mm

⚠ For Blachere Illumination motifs only

NLKL01-12	10 m of fil lumière®	white Led	○	(type NML41),	2 power leads,	glue,	10 connectors,	5 end caps
NLKL02-12	10 m of fil lumière®	blue Led	●	(type NML42),	2 power leads,	glue,	10 connectors,	5 end caps
NLKL06-12	10 m of fil lumière®	red Led	●	(type NML46),	2 power leads,	glue,	10 connectors,	5 end caps
NLKL01W12	10 mof fil lumière®	warm white Led	●	(type NML41W),	2 power leads,	glue,	10 connectors,	5 end caps

FIXING ACCESSORIES FOR MOTIFS AND CONNECTION HOUSING





Photo	Infos	Ref
	Heart shape eye for ø 4mm cable set of 10	**D001**
	Heart shape eye for ø 6mm cable set of 10	**D011**
	Cable gripper for ø 4mm cable set of 10	**D002**
	Cable gripper for ø 6mm cable set of 10	**D012**
	Steel cable ø 4mm 100m roll	**D005**
	Steel cable ø 6mm 100m roll	**D006**
	Steel cable ø 4mm with PVC sheath ø 6mm 100m roll	**D015**
	Steel cable ø 6mm with PVC sheath ø 8mm 100m roll	**D016**

Photo	Infos	Ref
	Transverse unit for fastening to pole for ø 11mm cable pair	**MA011**
	Eyebolt L : 150mm set of 2pcs	**D033**
	Galvanized steel shackle ø 10mm	**MA002**
	Mixed stretcher unit - M10 L : 22 to 30cm	**D004**
	Ø 6mm Snap hook WLL 80kg	**DOM7T**
	safety sling L : 60cm WLL : 70kg	**D026**
	Differential circuit-breaker equipped with a waterproof power plug. (for poles) Note : box subject to modification according to availability	**C001**


FIXING ACCESSORIES FOR POLEMOUNTS



Inverted cone
1 PIX03 (up)
1 PIX04-2 (down)
2 curtains H : 5m




Cylinder
2 PIX03
2 curtains H : 5m




Christmas tree
1 PIX04-2 (up)
1 PIX02 (down)
1 curtain H : 3m



Free composition
2 PIX03
2 FL74WBF+
1 FL900E



PIX02 / PIX03



PIX04-2


Circular brackets

Put together low-price 3D decorations
on your columns with our circular brackets
(inner diameter adjustable)

Ref	ø	Perimeter	pole ø	usable with
PIX04-2	25 cm	0,80 m	60 à 120 mm	curtains
PIX02	60 cm	1,90 m	60 à 200 mm	
PIX03	130 cm	4,00 m	60 à 200 mm	


FIXING ACCESSORIES FOR POLEMOUNTS






PIX01
Horizontal bracket
H:0,90 m - L: 1,10 m
inter distance max: 1,00 m
max load: 25 kg






PIXECO
Horizontal bracket
H : 0,25m - L : 0,80m
max load : 10kg


FIXING ACCESSORIES FOR POLEMOUNTS



PIX05B (white lacquered)
Horizontal bracket
H: 0,85 m - L: 0,90 m
inter distance max: 0,52 m
max load: 30 kg



PIX05 (green lacquered)
Horizontal bracket
H: 0,85 m - L: 0,90 m
inter distance max: 0,52 m
max load: 30 kg



FIXING ACCESSORIES FOR MOTIFS


"Order your FIX01 fixing to colour match your lamp columns!!!
Let us know the corresponding RAL and get a customized quotation. Contact our sales department for information"


FIX01 (pair)
Fastening device for pole





FIX01P (pair)
Strengthened fastening devices for poles (storm conditions)
(wind area 3)






FIXING ACCESSORIES FOR MOTIFS


"Order your FIX01 fixing to colour match your lamp columns!!!
Let us know the corresponding RAL and get a customised quotation. Contact our sales department for information"


FIX01M (pair)
Fastening devices for facades





FIX01MC (pair)
Fastening devices for curved pole






Each fastening must be individually strapped twice (see diagram). For motifs exceeding a height of 3.5m, it is essential to use three fasteners per motif.

D007 : Stapping box including 1 cutting pliersand 1 stappin pliers.

D008 : Stainless steel strap
Roll of 50m, thick-ness : 0,7mm

D009 : Staple-clip for steel strapset of 100

D010 : Black protection strip for Stainless steel strap - L: 10 ml / 10 mm



D008



D007

D010

D009



FYS060N
Fixing of decorations on masts.

Black strap: l: 15mm, L: 600mm, 8cm mini ratchet, LC 50 daN

This strap is reusable and does not slip

SOLAR ACCESSORIES

A new roundabout to decorate but no power supply?

Or looking to illuminate a street on your own with zero carbon emissions?

Choose our solar solutions.

Discreet panels, with an integrated autonomous and programmable system (switch-on and switch-off times).

Adapted light decorations, 24V garlands, and more. We offer you **a complete range that is 100% self-powered.**

All you need is sunshine!

Consult our advisory teams for a personalised analysis



SOLAR KIT SELF-POWERED

KITSOL

- Kit containing a solar panel with high-performance monocrystallinecells.
- Gel batteries for 2400 cycles with discharge..
- Power regulator and discharge protection.
- 24V or 230V output easily switched by rotary selector.
- Can be fixed to the floor.

PRODUCT INFO

- 50% battery consumption after 12 hours.
- Low-power prevents battery damage.
- Easy to move thanks to flexible rubber wheels with highabrasion resistance.
- Maintenance-free and easy to install.



SOLAR KIT POLE

PIXSOL2

- 20W panel power
- 7.2W power output
- DAILY PROGRAMMER: selection of the days and times lighting set iss-witched on
- 8 to 10 hours of sunshine required for 7 hours of lighting set operation

COMPATIBLE PRODUCTS

Garland 1 x FL502@

Garland 1 x 501CW

Garland 1 x 501W

Sphere 1 x G-FL920LU

Sphere 1 x G-FL920M

Bulb 1 x G-FL930BB

Kit 1 x PRJA and PRJA-W



SOLAR KIT POLE

PIXSOL3

- 12W panel power
- 4W power output
- DAILY PROGRAMMER: selection of the days and times lighting set iss-witched on
- 8 to 10 hours of sunshine required for 7 hours ofprojector operation


RÉFÉRENCES COMPATIBLES

½ PRJA/PRJA-W



SCENOGRAPHY/DECORATION ACCESSORIES

Pictures	Infos	Ref
	To complement your decorations, we can provide you with our real firtrees sustainably cultivated and processed with flake finish based on fireproof natural cellulose fibre. Contact our sales department and choose your colours and finish.	
	Mounting base lacquered in gold for 3D motif ø : 800mm	**PLA800OR**
	Mounting base lacquered in gold for 3D motif ø : 1200mm	**PLA1200OR**

Picture	Infos	Ref
		
	Opera barrier H : 1,20m L : 2,00m	**BARR01**
	White pine barrier H : 0,80m L : 1,80m	**GP506-B**

SCENOGRAPHY/DECORATION ACCESSORIES

Picture	Infos	Ref
	Square Carpet Blue 3m x 3m	**GPC300B**
	Round Carpet Blue ø : 3m	**GPR300B**
	Square Carpet Red 3m x 3m	**GPC300R**
	Round Carpet Red ø : 3m	**GPR300R**


Picture	Infos	Ref
	White cotton carpet roll 30m x 2,6m	**GP500**
	Red carpet roll 10m x 2m	**GP510R**
	Red - ø 140mm Set of 16	**B14-1**
	Gold - ø 140mm Set of 16	**B14-2**
	Red - ø 200mm Set of 9	**B20-1**
	Gold - ø 200mm Set of 9	**B20-2**
	Red - ø 280mm Set of 2	**B28-1**
	Gold - ø 280mm Set of 2	**B28-2**

BALLASTING ILLUMINATIONS

Dress up your blocks as pretty gifts!

Use our magical gifts to hide the concrete blocks in your decorations!

Depending on the features of your decoration, put together your own ballast kit and wrap your gift (size & colour).



Example : KPLO100B + KFLEXCA1



1. Choose your block

Reference	Description	dimensions
KPLO100B	Concrete block - 100kg	0,37 x 0,37 x 0,37m
KPLO040	Concrete block - 40kg	0,30 x 0,30 x 0,20m
KPLO020	Concrete block - 20kg	0,20 x 0,20 x 0,20m

2. Choose your cover

Reference	Description	dimensions	colour
KFLEXCA2	Block cover - PM	0,2 x 0,2 x 0,2m	blue / white
KFLEXCA5	Block cover - MM	0,3 x 0,3 x 0,2m	blue / white
KFLEXCA8	Block cover - GM	0,37 x 0,37 x 0,37m	blue / white
KFLEXCA1	Block cover - PM	0,2 x 0,2 x 0,2m	red / white
KFLEXCA4	Block cover - MM	0,3 x 0,3 x 0,2m	red / white
KFLEXCA7	Block cover - GM	0,37 x 0,37 x 0,37m	red / white
KFLEXCA3	Block cover - PM	0,2 x 0,2 x 0,2m	green / white
KFLEXCA6	Block cover - MM	0,3 x 0,3 x 0,2m	green / white
KFLEXCA9	Block cover - GM	0,37 x 0,37 x 0,37m	green / white

Enter the reference for the decoration + the block + the cover



INDEX



ARTOT02	146
CIME2	71
CIME4	71
CIME6	71
CIME7	71
GP158WF	65
GX047L	36
GX048LW	118
GX070CL	42
GX070LR	41
GX079L	33
GX081LW-2	68
GX082LW	68
GX083LW	68
GX086L	32
GX086L-A	32
GX087L	21
GX092L	24
GX093L	24
GX097L	33
GX098L	33
GX102LW	28
GX103L	36
GX103L-A	36
GX105L	31
GX107	157
GX107-UK	157
GX108	157
GX108-UK	157
GX110	157
GX110-UK	157
GX114LW	90
GX116LW	108
GX117LW	108
GX118DC	27
GX118L	31
GX119L	31
GX132L	23
GX133L	32
GX145L	37
GX145L-A	37
GX146L	147
GX147L	37
GX148L	22
GX149L	37
GX151L	26
GX152L	26
GX153L	23
GX154LW	41
GX155LW	40
GX156LW	48
GX159L	30
GX160L	36
GX163L	21
GX164L	31
GX168LW	48
GX171RGBW	43
GX172LW	34
GX173L	50
GX173LW	50
GX182L	36
GX182L-A	36
GX184L	38
GX184LW	38
GX185LW	51
GX193L	29
GX194L	27
GX200L	147
GX205L	37
GX206L	37
GX210LW	48
GX242L	151
GX243LW	151
GX244L	29
GX245LW	35
GX247L-A	29
GX248LR	30
GX249L	31
GX249L-A	31
GX251L	61
GX251LW	61
GX252L	39
GX252LW	39
GX253LW	61
GX256LW	34
GX257LW	34
GX258L	35
GX258LW	35
GX259LW	35
GX260L	25
GX260LW	25
GX261LW	24
GX262LW	30
GX263L	28
GX264LW	29
GX265LW	21
GX266DC	53
GX267LW	28
GX308L	22
GX327L	48
GX327LW	48
GX333L	20
GX344L	18
GX344LW	55
GX345L	19
GX346L	16
GX347L	18
GX348L	17
GX349L	18
GX350LW	59
GX354L	52
GX354LW	16
GX355LW	53
GX356L	16
GX357L	19
GX358L	28
IPL031W	88
IPL039	104
IPL039W	104
IPL042W	138
IPL070B	112
IPL070W	112
IPL072W	126
IPL075B	94
IPL075W	94
IPL076	112
IPL076W	112
IPL081W	112
IPL082W	88
IPL084	126
IPL087W	102
IPL094W	138
IPL110	94
IPL110W	94
IPL114W	108
IPL115W	102
IPL117W	138
IPL118W	126
IPL122	128
IPL126	128
IPL126W	128
IPL127	122
IPL127W	122
IPL128	122

IPL128W	122
IPL129	80
IPL129W	78
IPL130	80
IPL130W	78
IPL131	80
IPL131W	78
IPL134W	108
IPL135	94
IPL135W	94
IPL139W	108
IPL140W	108
IPL141W	104
IPL143	80
IPL143W	78
IPL144	80
IPL144W	78
IPL145W	104
IPL150	128
IPL151W	104
IPL160	128
IPL189B	136
IPL189R	136
IPL189W	136
IPL190B	136
IPL190R	136
IPL190W	136

IPL191B	134
IPL191R	134
IPL191W	134
IPL199	124
IPL199W	124
IPL200	124
IPL200W	124
IPL201	124
IPL201W	124
IPL202W	86
IPL203W	86
IPL226W	86
IPL228B	138
IPL228W	138
IPL230	80
IPL230W	78
IPL231W	86
IPL257	132
IPL257B	132
IPL257W	132
IPL258	132
IPL258B	132
IPL258W	132
IPL259	134
IPL259W	134
IPL260W	134
IPL265W	88

IPL266W	88
IPL267W	88
IPL268W	88
IPL270R	110
IPL270W	110
IPL271R	110
IPL271W	110
IPL272	104
IPL272W	102
IPL282DC	143
IPL283DC	143
IPL284DC	143
IPL285DC	143
IPL286DC	143
IPL300B	92
IPL300W	92
IPL311	92
IPL311W	92
IPL317R	86
IPL318R	86
IPL319R	86
IPL320R	86
IPL322	122
IPL323W	122
IPL324W	102
IPL325W	102
IPL326W	102

IPL328W	98
IPL329W	98
IPL330W	98
IPL332W	98
IPL333W	98
IPL334W	98
IPL335	76
IPL335W	76
IPL336	76
IPL336W	76
IPL337	76
IPL337W	76
IPL340W	138
IPS264W	145
IPS280	145
IPS280W	145
IPS281W	145
IPS289W	145
IPS290	145
ITGL100	90
ITGL101W	90
ITGL102	116
ITGL102W	116
ITGL104	114
ITGL104W	114
ITGL105	114
ITGL105W	114

ITGL111	116
ITGL111W	116
ITGL112	140
ITGL112W	140
ITGL117R	116
ITGL130W	118
ITGL131	116
ITGL131W	116
ITGL141	116
ITGL170B	90
ITGL170L	90
ITGL179BW	100
ITGL179WW	100
ITGL180BW	100
ITGL180WW	100
ITGL182BW	100
ITGL182WW	100
ITL009	112
ITL020B	140
ITL020W	140
ITL021	94
ITL022	82
ITL022W	82
ITL033W	102
ITL043W	138
ITL053	114
ITL053W	114

ITL059W	122
ITL061	112
ITL072W	126
ITL076W	112
ITL077W	88
ITL082W	138
ITL083W	138
ITL094W	136
ITL101	82
ITL101W	82
ITL102	82
ITL102W	82
ITL113W	108
ITL115	140
ITL115W	140
ITL118W	126
ITL126	128
ITL127	122
ITL127W	122
ITL129	80
ITL129W	78
ITL130	80
ITL130W	78
ITL132W	138
ITL135	94
ITL135W	94
ITL160	128

ITL161	80
ITL161W	78
ITL163	82
ITL165W	88
ITL167	128
ITL191B	136
ITL191W	136
ITL218W	86
ITL226W	86
ITL227B	134
ITL227W	134
ITL232W	122
ITL233	82
ITL234W	134
ITL261	132
ITL261B	132
ITL261W	132
ITL262	132
ITL262B	132
ITL262W	132
ITL266W	88
ITL275R	110
ITL276R	110
ITL276W	110
ITL277W	110
ITL278W	110
ITL279R	110
ITL279W	110
ITL282DC	143
ITL288DC	143
ITL291	80
ITL291W	78
ITL310	92
ITL310W	92
ITL312	124
ITL312W	124
ITL314	124
ITL314W	124
ITL315	82
ITL316W	82
ITL317W	104
ITL321R	86
ITL327W	102
ITL328W	98
ITL331W	98
ITL332W	98
ITL333W	98
ITL338	76
ITL338W	76
KFLEXCA1	279
KFLEXCA3	279
KFLEXCA4	279
KFLEXCA5	279
KFLEXCA6	279
KFLEXCA7	279
KFLEXCA8	279
KFLEXCA9	279
KIT1-134	151
KIT1-242	151
KIT2-134	151
KIT2-242	151
KLFEXCA2	279
ML019W	104
ML020W	104
PIX05B	126
PL250B	126
PL250W	126
PL344	108
PL344W	108
SL005	51
SL005W	50
SL012	49
SL012W	49
SL013	49
SL013W	49
SL019CL	42
SL032	49
SL032W	49
SL033	49
SL033W	49
SL035W	44
SL036	46
SL036W	46
SL037W	47
SL038W	23
SL039W	51
SL040	45
SL041W	54
SL044W	45
SL045V	33
SL048	54
SL049W	54
SL050R	40
SL051W	17
SL052W	19
SL053W	16
SL134	151
SL135W	32
SL136	39
SL136W	39
SLED010W	56
SND017	56
SND018	65
SND019	63
SND021	64
SND022	63
SOCL42	36
SOCL43	25
SOCL47	26
SOCLGX81	71
SOCLGX82	71
SOCLGX83	71
SV1001	62
SV1001W	62
SV1201-P	62
SV1201W-P	62
SV301	62
SV301W	62
SV302	59
SV302W	58
SV303	58
SV303W	58
SV501	62
SV501W	62
SV502	59
SV502W	56
SV504A	22
SV505CL	64
SV506RGBW	64
SV507W	63
SV801-P	62
SV801W-P	62
TGL139W	126
TGL169LW	90
TGL247LW	118
TGL70LW	114
TGL70LWW	114
TGL71LW	114
TGL71LWCL	114
TGL71LWW	114
TGL72LW	114
TGL72LWW	114
TL311R	104
TL311W	104
TL312R	104
TL312W	104
TL347W	118
VL045W	112
VL046	128
VL046	128

Blachere INTERNATIONAL

BLACHERE ILLUMINATION S.A.S
22 Allée des Bourguignons
84400 Apt - France
tél : +33 (0) 413 068 002
fax : +33 (0) 490 747 367
sales@blachere-illumination.com
blachere-illumination.com

Géraldine
tél : +33 (0) 490 747 323
geraldine@blachere-illumination.com
Léa
tél : +33 (0) 490 747 642
l.alves@blachere-illumination.com
Marion
tél : +33 (0) 490 747 330
marion@blachere-illumination.com
Irène
tél : +33 (0) 490 747 396
i.baravet@blachere-illumination.com
Marie
tél : +33 (0) 490 747 044
marie@blachere-illumination.com
Cathy
tél : +33 (0) 490 747 325
cathy@blachere-illumination.com

AFRIQUE/*AFRICA*

Blachere Illumination Afrique
Rue du Caire - Route de M'Saken, 4081 Zaouiet Sousse
tel : +216 73 386 601
email : gregory.roux@blachere-factory.com
fax :+216 73 386 650

ASIE PACIFIQUE/*ASIA PACIFIC*

Blachere Illumination Asia Pacific
Unit B, 17/F., United Centre, 95 Queensway, Admiralty, Hong Kong
email : hkoffice@blachere-illumination.com

AUTRICHE/*AUSTRIA* & ALLEMAGNE/*GERMANY*

Blachere Illumination GmbH
Krenglbacher Straße 7- 4631 Krenglbach
tel : +43 (0) 7249 46400 – 0
email : office@blachere.at

BELGIQUE/*BELGIUM*

Blachere Illumination Belgique
Rue de Hermée 225, 4040 Herstal
tel : +32 4 275 02 81
email : info@blachere-illumination.be

BRÉSIL/*BRASIL*

Blachere Iluminação Brasil
Estrada do Zilo, 1519 - Distrito Industrial, Araçariguama – São Paulo 18147-000
tel : +55 11 99512-6734
email : sergio.cmolina@cmaise.com.br

CANADA/*CANADA*

Blachere Illumination Canada
3400 14th Avenue, Unit 18, Markham, Ontario L3R 0H7
tel : 905-475-6553
email : info@blachere-illumination.ca
Web : www.blachere-illumination.ca

COLOMBIE/*COLOMBIA*

Blachere - City Lights
Carrera 33 N. 19-26, Bogotá
tel : 576 016 466 000
email : comercial@blachere.co - jklahr@blachere.co

CROATIE/*CROATIA*

Blachere Illumination Croatia (Blachere Illumination – Gospodari svjetla)
Medsave 4B, 10430 Samobor
tel : +385 1 8877 660
email : info@gospodarisvjetla.hr
Web : www.gospodarisvjetla.hr

DANEMARK/*DENMARK*

Blachere Illumination - JADA GROUP APS
Norgesvej 2, 6230 Rødekro
tel : +45 70 20 00 03
email : info@jadagroup.dk

ESPAGNE/*SPAIN*

Blachere Iluminación España s.a
Calle Corazón de Maria, 70-8E, 28002 Madrid
tel : +34 91 388 28 77
email : info@blachere-illumination.es

ÉTATS-UNIS/*USA*

Blachere Illumination USA Inc.
PO Box 41, 4198 State Highway 14 W, Christopher, IL 62822
tel : +1 618-724-1500
email : info@blachere-illumination.us
fax :+1 618-724-4500
Web : https://blachere-illumination.com/en/blachere-illumination-usa

EUROPE CENTRALE/*CENTRAL EUROPE*

Blachere Illumination Central Europe
Karadžičova 8/A, Bratislava 821 08
tel : 421918428040
email : info@blachere-illumination.sk

FINLANDE/*FINLAND*

Blachere Illumination Finland - Lohikari
Ruoholahdenkatu 24, 00180 Helsinki
tel : +358 9 565 7750
email : lohikari@lohikari.fi
fax :
Web : www.lohikari.fi

HONGRIE/*HUNGARY*

Blachere Illumination Hungary
H-2142, Nagytarcsa, Csonka János út 4, K bâtiment
tel : +36 70 389 1475
email : info@blachere-illumination.hu

ITALIE/*ITALY*

Blachere Illumination Italia - Lumiworks Srl
Via Euippa 22, 73100 Lecce
tel : 393760563212
email : info@lumiworks.it

MEXIQUE/*MEXICO*

Blachere Iluminación México - Luces Feliz
3 Oriente No. 416 Centro. 74200 Atlixco, Puebla
tel : +52 244 44 51 281
email : contacto@blachere.com.mx
Web : https://blachere.com.mx/

MOYENT-ORIENT/*MIDDLE EAST*

Blachere Illumination Middle East
FAB Property Management Buildings
Building 22 Warehouse 3 DIP 1
tel : +971 4 254 8856
email : m.soltay@blachere-illumination.ae

NORVÈGE/*NORWAY*

Blachere Illumination Norway - Eurosign
Stanseveien 21, 0975 Oslo
tel : +47 23 00 85 00
email : salg@eurosign.no

PAYS-BAS/*NETHERLANDS*

Blachere Illumination Netherlands - Avontuur
Blokdijk 3 - 1608 HH Wijdenes
tel : +31 229 50 12 22
email : info@avontuur.net

POLOGNE/*POLAND*

Blachere Illumination Polska
Jasna 39 - 86-070 Czemlewo
tel : 48668318492
email : info@blachere-illumination.pl

PORTUGAL/*PORTUGAL*

Blachere illumination - Design Studio
Rua Pedro Nunes
IPN Aceleradora Edifício D - Sala 1.15
3030-199 Coimbra, Portugal
design@blachere-illumination.pt
Tel: 00351 239 134 384

RÉP. TCHÈQUE/*CZECH REPUBLIC*

Blachere Illumination Czech Republic
Ostrá Horka I/511 - 760 01 Zlín
tel : 420602227226
email : pesek@blachere-illuminations.cz

ROUMANIE/*ROMANIA*

Blachere Illumination Romania
Cluj Napoca, Str. Anatole France,nr. 22, et. 2
birou 2, Judetul Cluj, cod postal 400463
tel : +40 75 705 08 66
email : office@blachere-illumination.ro
fax :+40 31 845 13 73

ROYAUME-UNI/*UK*

Blachere Illumination UK Ltd
Gladstone Place, Ladybank, Fife, KY15 7LB
tel : +44 (0)1337 832 910
email : sales@blachere-illumination.co.uk
Web : www.blachere-illumination.co.uk

SUÈDE/*SWEDEN*

Blachere Illumination Sweden
Gustavslundsvägen 143, 167 51 Bromma
tel : +46 (0)72 601 66 46
email : info@blachere-illumination.se


SUISSE/*SWITZERLAND*

Blachere Illumination Swiss SA
Rue du Châtelard 18 1400 Yverdon-les-Bains tel : 021 886 00 90
email : office@blachere-illumination.ch
Web : www.blachere-illumination.ch

TURQUIE/*TURKEY*

Blachere Illumination Aydınlatma
Hasanpaşa Mh. Lavanta Sk. Polat İs Merk.26/3, Kadıköy-Istanbul
tel : +90 532 660 69 23
email : msoltay@blachere-illumination.com.tr

Blachere FRANCE



- **Directeur des ventes France :**
  Christophe Rey • 06 30 07 35 31
- **Responsable régional Nord :**
  Joao Vitoria • 06 74 35 65 68
- **Responsable régional Centre :**
  Sébastien Bouvet • 06 08 80 47 66
- **Responsable régionale Sud :**
  Aude Grojsman • 06 74 48 50 41
- **Directrice administration des ventes :**
  Géraldine Lê • 04 90 74 73 23
- **Blachere Illumination France Régions :**
  Alexandre Thanh • 06 80 15 11 25
  • 04 48 06 50 95
- **Blachere Illumination Shopping Center :**
  Corinne Garcia • 06 78 39 56 74

Paris intramuros
Cédric Parcineau • 01 42 77 66 15 / 07 77 26 37 76
Assistante, Sandrine Sarrazin • 04 90 74 70 45

Île-de-France Est
Sophie Duquesnoy • 06 08 00 57 52
Assistante, Sarah Galizzi • 04 90 74 73 61

Île-de-France Ouest
Véronique René • 06 08 80 47 65
Assistante, Sarah Galizzi • 04 90 74 73 61

Nord - Picardie
Barbara Gheysens • 06 31 59 64 07
Assistante, Anaïs Truphémus • 04 90 74 73 94

Champagne - Ardennes
Matthieu Mairie • 06 79 47 06 26
Assistante, Anaïs Truphémus • 04 90 74 73 94

Alsace - Lorraine
Olivier Radreaux • 06 07 67 39 46
Assistant, Vincent Vicari • 04 90 74 70 47

Savoie - Haute Savoie
Maëva Rigoureau • 06 42 56 43 70
Assistante, Stéphanie Imbert • 04 90 74 96 22

Rhône - Sud Bourgogne - Jura - Isère - Loire
Soizic De Vanel • 06 70 12 41 62
Assistante, Delphine Borel • 04 90 74 96 24

Bourgogne - Centre - Limousin - Auvergne
Maxime Bavouzet • 06 78 52 33 82
Assistante, Marianne Fabi • 04 90 74 73 90

Bouches-du-Rhône - Var
Xavier Le Penven • 06 84 02 80 04
Assistante, Delphine Borel • 04 90 74 96 24

Côte d'Azur - Monaco
Jérôme Falin • 06 37 62 41 21
Assistante, Stéphanie Imbert • 04 90 74 96 22

Vaucluse - Ardèche - Cantal - Haute Loire - Drôme
Delphine Ha • 06 48 79 99 62
Assistante Delphine Borel • 04 90 74 96 24

Occitanie - Pyrénées - Méditerranée - Aveyron
Justine Gaussen • 06 47 04 59 85
Assistante, Sandrine Sarrazin • 04 90 74 70 45

Sud-Ouest
Nicolas Montenon • 07 85 88 19 50
Assistante, Sandrine Sarrazin • 04 90 74 70 45

Pays de Loire - Poitou
Sophie Pintiaux • 06 85 23 77 43
Assistante, Stéphanie Imbert • 04 90 74 96 22

Bretagne - Basse Normandie
Régis Danais • 06 30 07 35 09
Assistante, Nadège David • 04 90 74 73 60

Corse
M. Gabbiati Fabrice • 06 29 31 51 19
Nadège Dauberte • 04 90 74 73 63

GOING PAPER FREE

Here at Blachere, above and beyond just being deeply concerned about sustainable development and our carbon footprint, we are constantly looking for ways to increase the efficiency of the tools we use, which has naturally Led us towards going paper-free.

Though the «zero paper» business is somewhat of a Utopian ideal, going paper-free considerably reduces the amount of printouts we produce and, as a consequence, our impact on the environment.The paper tools we do continue to use are printed on paper from sustainably managed forests at our «Imprim'vert» accredited printers.

QR Code in our catalogue gives you access to multiple additional media: videos of our decorations and installations, how they look in the daytime, work in progress photos and technical information about the products.

Visit us at www.blachere-illumination.com

blachere®
illumination



Blachere Illumination S.A.S
22 Allée des Bourguignons, 84400, Apt
Tel : + 33 (0) 490 742 095

blachere-illumination.com